



135N2493 ¹²

70-AB3L00235W05B520BM2H-00054936

Frequency converter

VACON0100-3L-0023-5-FLOW+IP54+DPAP+FBIE

VACON 100 FLOW

380-500 Vac, 23 Amp,IP54/NEMA12

Graphical Keypad MK01

C2 Commercial&Industry Environ

B Slot: F3,3 Relay board

C Slot: No board

D Slot: No board

E Slot: No board

Fieldbus: IndEth (ProfinetIO,EthernetIP)

Manual: English

Frame 05

Other options according to Model code

Model code: VACON0100-3L-0023-5-FLOW+IP54+DPAP+FBIE

VACON® 100 AC drives are ideal for saving energy, optimizing process control and improving productivity. They are designed for multi-purpose use while remaining easy to install, easy to commission and easy to operate.

The variants VACON® INDUSTRIAL and VACON® FLOW are available in power range 0.55-800 kW, voltage range 208-690 V, and protection ratings IP00, IP21/UL Type 1 and IP54/UL Type 12.

PRODUCT DETAILS

Gross weight	!	10.5 kg	
Net weight		10 kg	
Volume		01	
EAN		5710108186647	
VACON 0100			
Product View (Switch)	GLBL	Global (Standard)	
Segment	-FLOW	VACON 100 FLOW	
Region Code	-R00	R00 International	
Mains voltage	-5	380-500 Vac	
Current rating	-0023	23 Amp	
Installation options	-DM	DM Drive Module	
Enclosure	+IP54	IP54/NEMA12	
Control panel	+HMGR	Graphical Keypad MK01	
EMC emission limit category	+EMC2	C2 Commercial&Industry Environ	
Common mode filter (for DM)	+P000	No Option	
DUT filter (for DM)	+P000	No Option	
Brake chopper	+DBNO	No dynamic braking device	
Real time clock option	+SRNO	No Battery for real time clock	
Configurable power range	NONE	None	
Power connections	+P000	No Power options (+P000)	
Cable entry	+QGLM	Metric conduit plate	
Additional Equipment B	+Q000	No option for Qxxx_B (+Q000)	
Additonal Equipment C	+Q000	No additonal option for Qxxx_C	
Shipping package	+GSCB	Cardboard Box as Shipping pack	



PRODUCT DETAILS

TRODUCT DETAILS		
Marine construction	+E000	no option
B-Slot Option Board	+SBF3	F3,3 Relay board
C- Slot Option Board	+SC00	No board
D-Slot Option Board	+SD00	No board
E-Slot Option Board	+SE00	No board
Internal FB selection	+FBIE	IndEth (ProfinetIO,EthernetIP)
Documentation level	+DPAP	Paper Manuals
Document language preference	+DLUK	English
Firmware Language Pack	+FL01	UK, DE, FI, SE, IT, FR lang
Application	+A0000	No Application
Parameter Set	+L0000	No application parameter set
Motor parameter default freq	+LS50	50 Hz def motor freq settings
Unit for measure for display	+LSSI	Metric Units of Measure
Labeling options	+LPC1	no additional labels
UL approval	+GAUL	UL Approval (+GAUL)
Marine approval	NONE	None
RCM Approval	+GACT	(+GACT) RCM Approval N16307
KC approval	+GAKC	KC Approval
Ukrainian approval	+GAUA	Ukrainian Approval
EAC Approval	+GAEA	EAC Approval
Auxilary power supply	+C000	no option (+C000)
DC power supply for aux device	+C000	no option (+C000)
AC socket for aux devices	+C000	no option (+C000)
Input Devices	NONE	none_
Common mode filter (for ED)	+P000	no option
DU/DT, Sine filter (for ED)	+P000	no option
Terminal Options	NONE	none_
Door Equipments	+C000	no option (+C000)
Cabinet heater	+C000	no option (+C000)
Cabinet light	+C000	no option (+C000)
Motor heater control	+C000	no option (+C000)
Emergency stop options	+C000	no option (+C000)
Insulation fault sensor	+C000	no option (+C000)
Cabling from top	+C000	no option (+C000)
Back channel cooling	+C000	no option (+C000)
Cabinet Plinth	+C000	no option (+C000)
Empty extension segment	NONE	None
Standardized cabinet solution	NONE	None
Engineered cabinet solution	NONE	None
Product Group	VACON	VACON
Product Series	0100	Vacon 100 series
Phase	-3L	3 Phase AC Input
Customized	+BM2H	Vacon 100-FLOW
Main Circuit	+M000	NONE
Firmware	+F0159	Vacon0100-Flow Software pack
Max output frequency	NONE	None
Terminal Box	+T000	NONE
Bypass Control Operation Mode	NONE	none_
Bypass Input Type	NONE	none_
Bypass power connection type	NONE	none_
CE approval	+GACE	CE Approval (+GACE)
er er	-	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1



PRODUCT DETAILS

ATEX Approval	NONE	None
County Specific Approval	NONE	None
Warrenty time	+WT01	Warranty 12/18 months (+WT01)
Frame Size	MR05	Frame 05
Product Catalog	NO_VIEW	NO VIEW
Modelcode01		VACON0100-3L-0023-5
Modelcode02		-FLOW+IP54+DPAP+FBIE
Calculated Net Weight [kg]		10
Calculated Gross Weight [kg]		11
Motor Power Low Overload [kW]		11
Motor Power High Overload [kW]		NV
Dimensions WxHxD [mm] net		144 X 419 X 214
Dimensions WxHxD [mm] Gross		190 X 477 X 257
Dimensions WxHxD [mm]		144X419X214
Continuous Current (NO) [A]		23
Continuous Current (HO) [A]		NV
Motor Power HP Low Overload		15
Motor Power HP High Overload		NV
Typecode Part 1		70-AB3L00235W05B520BM2H
Typecode Part 2		-00054936
Stockcode part 1		70-AB3L00235W05B520BM2H
Stockcode part 2		-00054936
check if complete		OK
Vendor	ERR01	Cannot Determine Vendor
Recommended Factory	ERR01	Cannot Determine Vendor
Help Counter		20
Help Counter		2
Calculated Net Weight		10
Material Gross Weight		10.5
Material Net Weight		10
Salestext		MR05-0023-5+IP54+EMC2
Sub family identification	NONE	Normal customer ordered
ECCN US		3A999.A
ECCN EU		X.A.I.003

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store $\ensuremath{\mathbb{Z}}$

Accessories



181B0586 🗷

OPT-E7-V:DeviceNet

OPT-E7-V

181B0761 2

mage oming soon OPT-EC-V:EtherCAT

OPT-EC-V

For more information, please use this link to visit the product page on Danfoss Product Store 🗅



Accessories



181B3287 🗷

OPT-EA-V:Advanced 2-port ethernet

OPT-EA-V



181B1472 🗷

OPT-B2-V+DLES:1RO(NO/NC),1RO(NO),therm

OPT-B2-V+DLES



181B1473 🗷

OPT-B4-V+DLES:AI,2AO(mA,isol),+24V/EXT

OPT-B4-V+DLES



181B1481 🗷

OPT-B1-V+DNOT:6 programmableDI/DO

OPT-B1-V+DNOT



181B1738 🗷

OPT-B4-V+DLFR:AI,2AO(mA,isoI),+24V/EXT

OPT-B4-V+DLFR



181B2134 12

OPT-B2-V+DLDE:1RO(NO/NC), 1RO(NO), therm

OPT-B2-V+DLDE



181B2151 🗷

OPT-B2-V+DNOT:1RO(NO/NC),1RO(NO),therm

OPT-B2-V+DNOT



181B2152 🗷

OPT-B4-V+DNOT:AI,2AO(mA,isol),+24V/EXT

OPT-B4-V+DNOT



181B0302 🗷

OPT-B2-V:1RO(NO/NC), 1RO(NO), therm

OPT-B2-V



181B0301 🗷

OPT-B1-V:6 programmableDI/DO

OPT-B1-V

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



Accessories	
	181B0303 ☑ OPT-B4-V:AI,2AO(mA,isol),+24V/EXT OPT-B4-V
	181B0304 ¹² OPT-B5-V:3RO(NO) OPT-B5-V
	181B0307 ☑ OPT-B9-V:1RO(NO),5pcs of 41-240VAC OPT-B9-V
	181B0623 © OPT-B5-V+DNOT:3RO(NO) OPT-B5-V+DNOT
	181B0794 © OPT-B1-V+DLES:6 programmableDI/DO OPT-B1-V+DLES
N. Salar	181B0795 OPT-B1-V+DLDE:6 programmableDI/DO OPT-B1-V+DLDE
	181B0796 ☑ OPT-B4-V+DLDE:AI,2AO(mA,isol),+24V/EXT OPT-B4-V+DLDE
	181B0797 ☑ OPT-B5-V+DLES:3RO(NO) OPT-B5-V+DLES
	181B0798 ☑ OPT-B5-V+DLDE:3RO(NO) OPT-B5-V+DLDE
	181B0311 © OPT-BH-V:3 temp meas channels OPT-BH-V

For more information, please use this link to visit the product page on Danfoss Product Store 🗅



Accessories	
	181B0310 ⊵
	OPT-BF-V:
	OPT-BF-V
	OPT-BJ-V:
	OPT-BJ-V
Image	OPT-E2-V:RS485 (Modbus/N2)
coming soon	OPT-E2-V
	OPT-C4-V+DNOT:LonWorks
	OPT-C4-V+DNOT
	141F4277 [™]
Image coming	AS-interface Fieldbus Option, OPT-BK-V
soon	OPT-BK-V
	181B1482 [™]
	OPT-BJ-V+DLES:
	OPT-BJ-V+DLES
	181B2155 ₪
	OPT-BJ-V+DLFI:
	OPT-BJ-V+DLFI
	181B0800 ڬ
	OPT-BJ-V+DLDE:
	OPT-BJ-V+DLDE
	181B0316 🗵
	OPT-C4-V:LonWorks
	OPT-C4-V
lmage	181B3273 ¹²
coming	OPT-F5-V: OPT-F5-V

For more information, please use this link to visit the product page on Danfoss Product Store 🗅



	 	:	20

181B4135 🗷

Image coming soon

OPT-E8-V:RS485 with Sub-D9

OPT-E8-V

181B2164 [™]

OPT-E9-V+DNOT:2-port ethernet

OPT-E9-V+DNOT

181B1488 12

OPT-E5-V+DNOT:PROFIBUS DP with Sub-D9

OPT-E5-V+DNOT

181B0492 12

OPT-E9-V:2-port ethernet

OPT-E9-V

181B0330 @

OPT-F4-V:

OPT-F4-V

181B0329 🗷

OPT-F3-V:

OPT-F3-V

181B0327 🗷

OPT-E6-V:CANopen

OPT-E6-V

181B0326 12

OPT-E5-V:PROFIBUS DP with Sub-D9

OPT-E5-V

181B0075 🗷

MR5 IP54 -kit

VACON-ENC-IP54-MR05

181B3003 🗷

VACON100 FLOW Application manual (10pcs)

DOC-APP100FLOW-10+DLUK

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



Accessories

Image coming soon

141F4210 🗷

VACON-DEM-0100-1L-2-CASE democase

VACON-DEM-0100-1L-2-CASE

181B5386 🗷

Image coming soon OPT-B9-V+DNOT:1RO(NO),5pcs of 41-240VAC

OPT-B9-V+DNOT

Spare Parts



181B1401 2

Discharging resistor assembly 48k 1 mm

SPR-ELE15323



181B1100 🗷

Terminal connector kit Vacon100

SPR-ELE02023



181B1092 12

Control flat cable MR05

SPR-ELE01783



181B1158 🗷

EMC jumper 10pcs

SPR-ELE08056



181B1157 🗷

MR Ground Fault Transformer Current Sens

SPR-ELE08037



181B1049 🗷

Internal fan

SPR-MEC00978



181B1174 🗷

"MR05 Accessories kit, inch"

SPR-MEC02004

For more information, please use this link to visit the product page on Danfoss Product Store 🗷





181B1206 12

MR05 Gland plate kit IP54, inch

SPR-MEC08050



181B1203 🗷

"MR05 Gland plate kit IP54, metric"

SPR-MEC08047



181B1200 🗷

"MR05 Gland plate kit IP21, inch"

SPR-MEC08043



181B1197 🗷

"MR05 Gland plate kit IP21, metric"

SPR-MEC08039



181B2990 ¹²

Skiip 34NAB176V1 1700V 60A

SPR-ELE14770



181B2354 12

Fuse switch OS63030P

SPR-ELE13938



181B0641 🗷

Control board MC04

SPR-CMB06634



181B0916 12

Diode thyristor module SKKH 162/18E

SPR-ELE14690



181B0809 🗷

"MR05 Accessories kit, metric"

SPR-MEC01798



181B0764 ¹²

Main fan MR08 48VDC

SPR-MEC01861

For more information, please use this link to visit the product page on Danfoss Product Store 🗅





181B0384 12

Main fan MR05

SPR-MEC00977



181B0378 🗷

Control unit V100 (MC04 w/o I/O board)

SPR-CMB06633



181B2996 12

DC-capacitor 350uF 800V MR05

SPR-ELE27403



181B1116 @

MR05 Main Cover IP54 Dark Grey, NCS 7010

VACON-SPR-MEC01962



181B1117 🗷

Main Cover MR05 IP21 Dark Grey, NCS 7010

VACON-SPR-MEC01963



181B1121 @

MR05 HVAC/FLOW/100 Main cover assembly

VACON-SPR-MEC01978-HVAC



181B1387 🗷

MR05 Main Cover Dark Grey IP54

VACON-SPR-MEC01962-HVAC



181B1393 🗷

MR05 MainCoverIP21Dark Grey, NCS7010-R90B

VACON-SPR-MEC01963-HVAC



181B2997 🗷

I/O GND plate + connector cover kit MR05

SPR-MEC08053



181B3729 🗷

Measurement board Vacon 200/500/600/690V

SPR-CMB15267+AMPV0062-6+MODX2V001+DBNO-R02+LS60+LSUS

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



Image coming

181B4121 🗷

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV0920-5+MODX2V001+DBIN-R00+LS50+LSSI



181B4122 🗷

Power Board 34A 690V MR6

SPR-CMB14772-FLOW+AMPV0027-6+MODX1V001+DBIN-R02+LS60+LSUS



181B4123 🗷

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV0920-5+MODX2V001+DBNO-R00+LS50+LSSI



181B4098 @

Measurement board 500/690V MR10

SPR-CMB21899+AMPV0590-5+MODX2V001+DBNO-R00+LS60+LSSI



181B4101 ¹²

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV1180-5+MODX2V001+DBNO-R00+LS60+LSSI



181B4103 [™]

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV1180-5+MODX2V001+DBIN-R00+LS50+LSSI



181B4307 🗷

Power Board 34A 690V MR6

SPR-CMB14772-HVAC+AMPV0018-6+MODX1V001+DBIN-R00+LS50+LSSI



181B3429 🗷

Power Board 38-61A 500V for MR06 Gen2

SPR-CMB04711-FLOW+AMPV0046-5+MODX1V001+DBNO-R00+LS50+LSSI



181B4729 🗷

Measurement board MR09B MR10, programmed

SPR-CMB21899+AMPV0520-5+MODX2V001+DBNO-R00+LS50+LSSI



181B4770 🗷

Measurement board Vacon 200/500/600/690V

SPR-CMB15267-FLOW+AMPV0144-7+MODX1V001+DBNO-R00+LS50+LSSI

For more information, please use this link to visit the product page on Danfoss Product Store 🗷





181B4866 12

Measurement board V100, pre-programmed

SPR-CMB29585+AMPVXXXX-7-X1-B



181B4865 🗷

Measurement board V100, pre-programmed

SPR-CMB29585+AMPVXXXX-5-X2-B



181B4864 12

Measurement board V100, pre-programmed

SPR-CMB29585+AMPVXXXX-5-X1-B



181B4893 12

Measurement board Vacon 200/500/600/690V

SPR-CMB15267-FLOW+AMPV0041-6+MODX2V001+DBIN-R00+LS50+LSSI



181B5064 12

Control cover semi-matt for MR09

VACON-SPR-MEC02014



181B5303 12

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV0730-5+MODX1V001+DBNO-R00+LS50+LSSI



181B5417 🗷

Miniature circuit breaker 2A 1P NAM

SPR-ELE25089



181B5418 🗷

Miniature circuit breaker 6A 1P NAM

SPR-ELE25087



181B5425 🗷

Modular socket 15A 125VAC 1P NAM

SPR-ELE25093



Image

Measurement board 240/500V MR7-9, prog

SPR-CMB01790-HVAC+AMPV0261-5+MODX1V001+DBNO-R00+LS50+LSSI

For more information, please use this link to visit the product page on Danfoss Product Store 🗷





181B5438 🗷

Accessories bag with ext. box, 2-cabling

SPR-MEC41716

Image

181B5445 🗷

Measurement board 240/500V MR7-9, prog

SPR-CMB01790+AMPV0205-5+MODX1V001+DBNO-R00+LS50+LSSI



181B5470 ¹²

Cable gland plate IP54 for MR07, metric

SPR-MEC44149



181B5489 🗷

Plate heat exchanger, type:M3-FG-70PL

SPR-SOL44167



181B5490 🗷

Regulating valve actuator + 24VDC-module

SPR-SOL44168



181B5756 12

Filter mat 270x270mm (incl. 6 pcs)

SPR-MEC43925



181B5755 🗷

Filter mat 85x85mm (incl. 6 pcs)

SPR-MEC43915



181B5775 🗷

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV1040-5+MODX2V001+DBNO-R00+LS50+LSSI



181B5786 🗷

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV0820-7+MODX1V001+DBNO-R00+LS50+LSSI



181B5788 🗷

Image

Regulating 3-way valve DN32

SPR-SOL44682

For more information, please use this link to visit the product page on Danfoss Product Store



Image coming

181B5792 12

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV0650-5+MODX1V001+DBNO-R00+LS50+LSSI



181B5815 🗷

Main fan assembly MR9

SPR-ELE44150



181B5816 12

Main fan with power assembly MR9

SPR-ELE44935



181B5828 🗷

Charging Switch INU-FI9-FI10-V2

65-ELE43838-1194X2



181B5831 🗷

IGBT and driver board assy 690V MR09b

65-ELE38906-117UHW



181B5830 🗷

Brake IGBT and driver assy 690V MR09b

65-ELE38905-117UHV



181B5845 🗷

Measurement board Vacon 200/500/600/690V

SPR-CMB15267+AMPV0144-7+MODX1V001+DBNO-R00+LS50+LSSI



181B0275 🗷

DC-power supply

STL-EST09693



181B0861 12

Software service kit for Vacon100

STL-EST10606



181B5864 🗷

Powerboard 16-31A 500V for MR5 Gen3

SPR-CMB33714-FLOW+AMPV0031-5+MODX2V001+DBNO-R00+LS50+LSSI

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



are Parts	
lmage coming soon	181B5865 ☑ Powerboard 16-31A 500V for MR5 Gen3 SPR-CMB33714+AMPV0031-5+MODX2V001+DBIN-R00+LS50+LSSI
lmage coming soon	181B5872 ☑ Measurement boards MR11 MR12, programmed SPR-CMB33055+AMPV0820-5+MODX2V001+DBNO-R00+LS50+LSSI
lmage coming soon	181B5880 ☑ Measurement board MR09B MR10, programmed SPR-CMB21899+AMPV0416-7+MODX1V001+DBNO-R00+LS50+LSSI
Image coming soon	181B5897 ☑ Measurement board 240/500V MR7-9, prog SPR-CMB01790-FLOW+AMPV0072-5+MODX1V001+DBNO-R00+LS50+LSSI
Image coming soon	181B5902 ☑ Measurement board Vacon 200/500/600/690V SPR-CMB15267-FLOW+AMPV0052-7+MODX2V001+DBNO-R00+LS50+LSSI
lmage coming soon	181B5903 ☑ Measurement board 240/500V MR7-9, prog SPR-CMB01790+AMPV0170-2+MODX1V001+DBNO-R00+LS60+LSSI
lmage coming soon	181B5908 ☑ Shipping box inc. dampers size 4 (4 pcs) SPR-MEC46233
lmage coming soon	181B5909 ☑ Shipping box inc. dampers size 5 (4 pcs) SPR-MEC46234
lmage coming soon	181B5910 ^{L2} Shipping box inc. dampers size 6 (4 pcs) SPR-MEC46235
lmage coming	181B5911 🗷 Shipping box inc. dampers size 7 (4 pcs)

For more information, please use this link to visit the product page on Danfoss Product Store 🗅

SPR-MEC46236



Image

181B5912 12

Shipping box inc. dampers size 8 (4 pcs)

SPR-MEC46237

181B5948 ¹²

Image

Measurement board 105-310A 240/500V MR7-

SPR-CMB01790+AMPV0105-5+MODX2V001+DBNO-R00+LS50+LSSI

181B5950 @

coming

Thermal paste Wacker P12, 90ML

STL-MST46417

181B5951 @

coming

Thermal paste Dowsil TC-6000HP, 1kg

STL-MST46857

Services



130R1121 🗷

DrivePro ExWarr Work Shop PG03 30 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1120 🗷

DrivePro ExWarr Work Shop PG03 24 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1122 🗷

DrivePro ExWarr Work Shop PG03 36 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store





130R1123 🖸

DrivePro ExWarr Work Shop PG03 42 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1126 2

DrivePro ExWarr Work Shop PG03 60 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1125 🗷

DrivePro ExWarr Work Shop PG03 54 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1124 ¹²

DrivePro ExWarr Work Shop PG03 48 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1127 🗷

DrivePro ExWarr Work Shop PG03 66 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1128 2

DrivePro ExWarr Work Shop PG03 72 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store





130R1024 PA

DrivePro ExWarr Onsite PG03 48 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1025 🗷

DrivePro ExWarr Onsite PG03 54 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1020 P

DrivePro ExWarr Onsite PG03 24 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1022 [™]

DrivePro ExWarr Onsite PG03 36 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1021 🗷

DrivePro ExWarr Onsite PG03 30 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1027 2

DrivePro ExWarr Onsite PG03 66 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store





130R1026 🗷

DrivePro ExWarr Onsite PG03 60 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1028 🗷

DrivePro ExWarr Onsite PG03 72 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1023 [2]

DrivePro ExWarr Onsite PG03 42 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1303 🗷

DrivePro Start-Up unit pre-order small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

For more information, please use this link to visit the product page on Danfoss Product Store





130R1313 🗷

DrivePro Start-Up 1 day on-demand small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- $\bullet \ Maximum \ energy \ savings \ to \ the \ Customer.$
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.



130R1312 🗷

DrivePro Start-Up 1 Day Pre-order small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.





130R1304 @

DrivePro Start-Up unit on-demand small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- $\bullet \ Maximum \ energy \ savings \ to \ the \ Customer.$
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

Image coming soon

130R1380 🗷

DrivePro Start-Up 1/2 day pre-order small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



lmage coming soon

130R1381 🗷

DrivePro Start-up 1/2 day on-demand small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.