Product Detail | FC-051P1K5S2E20H3BXCXXXSXXX

ENGINEERING TOMORROW





132F0005 🗠

FC-051P1K5S2E20H3BXCXXXSXXX

Frequency Converter FC-051P1K5S2E20H3BXCXXXSXXX VLT® Micro Drive FC-51 (P1K5) 1.5 KW / 2.0 HP, Single phase 200 - 240 VAC, (E20) IP20 / Chassis (H3) RFI Class A1/B (C1) Brake chopper No Loc. Cont. Panel Coated PCB, No Mains Option M2-FRAME Other options according to Model code

Model code: FC-051P1K5S2E20H3BXCXXXSXXX

The VLT[®] Micro Drive is a general-purpose drive that can control AC motors up to 22.0 kW. It is a small drive with maximum strength and reliability. The VLT[®] Micro Drive is manufactured with respect for the environment, and it complies with the RoHS Directive. Note: Order the LCP display separately as an accessory.

View Efficiency Data 🛽

PRODUCT DETAILS

PRODUCT DETAILS							
Gross weight		2.03 kg					
Net weight		1.9 kg					
Volume		4.612					
EAN		5702427357471					
Sales restriction control							
Matr grp for sales restriction 0001		No grouping					
VLT® MICRO DRIVE FC 051 SERIE	S						
Product View (Switch)	GLBL	Global (Standard)					
Product Group	FC-	VLT [®] Micro Drive FC-					
Micro Drive Series	051	51					
Power Rating	P1K5	(P1K5) 1.5 KW / 2.0 HP					
Phase	S	Single phase					
Mains Voltage	2	200 - 240 VAC					
Enclosure	E20	(E20) IP20 / Chassis					
RFI Filter	H3	(H3) RFI Class A1/B (C1)					
Brake - Safe Stop	В	Brake chopper					
LCP	Х	No Loc. Cont. Panel					
Coating PCB	С	Coated PCB					
Mains Option	Х	No Mains Option					
Adaptation A	Х	Standard Cable Entries					
Adaptation B	Х	No adaptation					
Software Release	SXXX	Latest release std. SW.					
Frame Size	M2	M2-FRAME					
Typecode Part 1		FC-051P1K5S2E20H3BXCXXXSXXX					
Modelcode01		FC-051P1K5S2E20H3BXCXXXSXXX					
Product Catalog	NO_VIEW	NO VIEW					

Product Detail | FC-051P1K5S2E20H3BXCXXXSXXX



PRODUCT DETAILS

Calculated Gross Weight [kg] Calculated Net Weight [kg]		1.9			
		1.6			
Vendor	ERR01	Cannot Determine Vendor			
Recommended Factory	ERR01	Cannot Determine Vendor			
Material Gross Weight		2.03	2.03		
Material Net Weight		1.9	1.9		

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store 🗈

Accessories



132B0102 🖻

LCP Remote Mounting Kit,w/ 3m cable
Remote installation kit for VLT Micro Drive FC 51 for installing an LCP 11 or LCP
12 control unit in a control cabinet door or similar. (can also be retrofitted).
Contains fastening elements, seal and 3 m connection cable with plugs.
LCP is not included in the scope of delivery.
Minimum delivery quantity: 6 (in a collective box with individual packaging)



132B0101 🕑

VLT° Control Panel LCP 12, w. potmeter Numerical control unit with integrated potentiometer for VLT Micro Drive FC 51. Fully enclosed housing design (IP 20 / front IP 54). Quick menu for quick commissioning, manual / auto switchover and alarm acknowledgment. With copy function to save and transfer the device parameters.



132B0100 🗠

VLT® Control Panel LCP 11 w/o potmeter

Local control panel for VLT[®] Micro Drive FC51. Enclosure IP20/Front IP54. Numerical LCP with Quick-Menu for commissioning and local control. Status readout, Hand/Auto-selection, Reset and Navigation keys, Copy and parameter store functionality.



132B0131 🛛

Blank Cover

The VLT[®] Protection blank cover is for protecting drives and connectors when no LCP is chosen. The minimum order quantity is 14 pcs.



132B0111 🛛

DIN Rail Mounting Kit, M1, M2

DIN rail adapter for VLT Micro Drive FC 51 only for size M1. For time-saving installation on 35mm standard top hat rails (DIN EN 50022). Minimum delivery quantity: 24 (in a collective box with individual packaging)

For more information, please use this link to visit the product page on Danfoss Product Store 🗷

Product Detail | FC-051P1K5S2E20H3BXCXXXSXXX

ENGINEERING TOMORROW



Accessories

	132B0109 ☑ IP21/Type1 conversion kit, M2 IP 21 covers for VLT Micro Drive FC 51 in size M2. Increases the degree of protection of the housing and offers additional protection against accidental contact. Minimum delivery quantity: 3 (in a collective box with individual packaging)						
	132B0106 ⊵ Decoupling Plate Mounting Kit, M1, M2						
	EMC Disconnect Kit for VLT Micro Drive FC-051						
	For enclosure sizes M1 and M2.						
	Product group: M						
	132B0104 ⊠						
	Nema 1 Conversion Kit, M2						
	175N2584 ⊠						
Core .	VLT® EtherNet/IP Modbus TCP gateway						

Spare Parts



132B0102 🗠

LCP Remote Mounting Kit,w/ 3m cable Remote installation kit for VLT Micro Drive FC 51 for installing an LCP 11 or LCP 12 control unit in a control cabinet door or similar. (can also be retrofitted). Contains fastening elements, seal and 3 m connection cable with plugs. LCP is not included in the scope of delivery. Minimum delivery quantity: 6 (in a collective box with individual packaging)



132B0127 🕑

FC-051 Spare part kit for frame size M2

Spare part kit contains terminal cover, RS485 plug and grounding screw. For each frame size, there is one relative spare part kit.

For more information, please use this link to visit the product page on Danfoss Product Store 🗅

ENGINEERING TOMORROW



Services

 -	^		-	-	-	0	\mathbb{Z}
 - 5		к				×	10

DrivePro ExWarr Work Shop PG02 72 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1117 🕑

DrivePro ExWarr Work Shop PG02 66 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

130R1127 🕑

DrivePro ExWarr Work Shop PG03 66 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1128 🛛

DrivePro ExWarr Work Shop PG03 72 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1102 2

DrivePro ExWarr Work Shop PG01 36 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drivesworkshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales officefor extended warranty contract options

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



_	130R1104 🛙
	DrivePro ExWarr Work Shop PG01 48 months
×	DrivePro [®] Standard Extended Warranty provides repair at a Danfoss Drives
	workshop, or shipment of a replacement product to the site.
	You can only order DrivePro® Extended Warranty when purchased with a new
	drive. For drives previously shipped or purchased; contact your local
	Danfoss Drives sales officefor extended warranty contract options.
_	130R1103 ⊵
	DrivePro ExWarr Work Shop PG01 42 months
	DrivePro [®] Standard Extended Warranty provides repair at a Danfoss Drives
	workshop, or shipment of a replacement product to the site.
	You can only order DrivePro® Extended Warranty when purchased with a new
	drive. For drives previously shipped or purchased; contact your local
	Danfoss Drives sales officefor extended warranty contract options.
-	130R1105 @
	DrivePro ExWarr Work Shop PG01 54 months
	DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives
	workshop, or shipment of a replacement product to the site.
	You can only order DrivePro® Extended Warranty when purchased with a new
	drive. For drives previously shipped or purchased; contact your local
	Danfoss Drives sales office for extended warranty contract options.
—	130R1107 🛛
	DrivePro ExWarr Work Shop PG01 66 months
	DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives
	workshop, or shipment of a replacement product to the site.
	You can only order DrivePro® Extended Warranty when purchased with a new
	drive. For drives previously shipped or purchased; contact your local
	Danfoss Drives sales office for extended warranty contract options.
(T)	130R1106 🛛
	DrivePro ExWarr Work Shop PG01 60 months
	DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives
	workshop, or shipment of a replacement product to the site.
	You can only order DrivePro [®] Extended Warranty when purchased with a new
	drive. For drives previously shipped or purchased; contact your local
	Danfoss Drives sales office for extended warranty contract options.
—	130R1108 🗠
	DrivePro ExWarr Work Shop PG01 72 months
	DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives
	workshop, or shipment of a replacement product to the site.
	You can only order DrivePro® Extended Warranty when purchased with a new
	drive. For drives previously shipped or purchased; contact your local
	Danfoss Drives sales office for extended warranty contract options.

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



Services

 130R1101 ☑ DrivePro ExWarr Work Shop PG01 30 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drivesworkshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales officefor extended warranty contract options
130R1004 ☑ DrivePro ExWarr Onsite PG01 48 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1006 DrivePro ExWarr Onsite PG01 60 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1002 ▷ DrivePro ExWarr Onsite PG01 36 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1001 ☑ DrivePro ExWarr Onsite PG01 30 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 🗈

ENGINEERING TOMORROW



Services



130R1000 🕑

DrivePro ExWarr Onsite PG01 24 Months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1010 🛛

DrivePro ExWarr Onsite PG02 24 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1005 🕑

DrivePro ExWarr Onsite PG01 54 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1003 🖄

DrivePro ExWarr Onsite PG01 42 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1100 🗅

DrivePro ExWarr Work Shop PG01 24 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drivesworkshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales officefor extended warranty contract options

For more information, please use this link to visit the product page on Danfoss Product Store

ENGINEERING TOMORROW



Services



132F0005 🛽

FC-051P1K5S2E20H3BXCXXXSXXX Frequency Converter FC-051P1K5S2E20H3BXCXXXSXXX VLT® Micro Drive FC-51 (P1K5) 1.5 KW / 2.0 HP, Single phase 200 - 240 VAC, (E20) IP20 / Chassis (H3) RFI Class A1/B (C1) Brake chopper No Loc. Cont. Panel Coated PCB, No Mains Option M2-FRAME

Model code: FC-051P1K5S2E20H3BXCXXXSXXX

The VLT[®] Micro Drive is a general-purpose drive that can control AC motors up to 22.0 kW. It is a small drive with maximum strength and reliability. The VLT[®] Micro Drive is manufactured with respect for the environment, and it complies with the RoHS Directive. Note: Order the LCP display separately as an accessory.

For more information, please use this link to visit the product page on Danfoss Product Store 🗅