



136G7352 🕑

MCD60244BT5S2X00CV2 MCD60244BT5S2X00CV2 VLT® Soft Starter MCD 600 With Int. Bypass Contactor 244 A, Three phase 200-525 V AC Frame size 2, IP00 Control Voltage: 110~120 VAC or 220~240 VAC Other options according to Model code

Model code: MCD60244BT5S2X00CV2

VLT° Soft Starter MCD 600 is a total motor starting solution.
Current transformers measure motor current and provide feedback for controlled motor ramp profiles.
Adaptive Acceleration Control (AAC) automatically employs the best starting and stopping profile for the application.
Emergency mode and Pump clean function are standard features.
The optional remote control panel adds more functionality, such as the Start/Stop buttons, and quick jump buttons to menu options.
VLT° Soft Starter MCD 600 is available in three enclosure sizes: S1, S2 and S3
S1: IP20 with built-in bypass contactor (20–129 A)
S2: IP00 either with built-in bypass or non-bypass (144 –579 A).

S3: IP00 with built-in bypass, non-bypass or external bypass (590–1250 A)

To achieve protection rating IP20 on connections, order the Finger Guard Kit as an accessory.

PRODUCT DETAILS

Gross weight		14 kg
Net weight		12.7 kg
Volume		59.4
EAN		5710108638276
Sales restriction control		
Matr grp for sales restriction	0001	No grouping
VLT® SOFT STARTER MCD600 SE	RIES	
Product View (Switch)	GLBL	Global (Standard)
Product Group	MCD	MCD Soft Starter series
MCD Series	6	600 Series
Current Rating	0244	244 A
Bypass	В	With Int. Bypass Contactor
Phase	Т	Three phase
Mains Voltage	5	Three phase 200-525 V AC
Enclosure	S2	Frame size 2
Performance	Х	Reserved
IP Rating	00	IP00
Control Voltage	CV2	110~120 VAC or 220~240 VAC
Typecode Part 1		MCD60244BT5S2X00CV2
Product Catalog	GLBL	Global (Standard)
Modelcode01		MCD60244BT5S2X00CV2

Product Detail | MCD60244BT5S2X00CV2

	16.3
	15.5
	14
	12.7
	B901
ERR01	Cannot Determine Vendor
ERR01	Cannot Determine Vendor

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store 🖸

Accessories

Mi,	175G0186 MCD 600 Finger guards for 0144B-0579B Finger guards provide IP20 protection when used with cable of diameter 22 mm or greater.
	175G0131 ☑ MCD 600 Ethernet/IP MCD 600 Ethernet/IP supports network communication via easy-to-install communication expansion cards. Each communication card includes a remote LCP 601 connector port.
Į.	175G0127 ☑ MCD 600 Modbus RTU MCD 600 Modbus RTU supports network communication via easy-to-install communication expansion cards. Each communication card includes a remote LCP 601 connector port.
	175G0128 № MCD 600 Profibus MCD 600 Profibus supports network communication via easy-to-install communication expansion cards. Each communication card includes a remote LCP 601 connector port.
	175G0129 🗈 MCD 600 Devicenet MCD 600 Devicenet supports network communication via easy-to-install communication expansion cards. Each communication card includes a remote LCP 601 connector port.

For more information, please use this link to visit the product page on Danfoss Product Store 🗅



	175G0130 MCD 600 Modbus TCP MCD 600 Modbus TCP supports network communication via easy-to-install communication expansion cards. Each communication card includes a remote LCP 601 connector port.
	175G0134 MCD 600 Remote Keypad/Display The VLT [®] Soft Starter MCD 600 soft starters can be used with a remote LCP mounted up to 3 m (9.8 ft) away from the soft starter. This kit contains a LCP601 + 3 meter cable and an expansion card with connection port
	175G0133 MCD 600 Pumping Smart Card The MCD600 Pumping Smart Card provides dedicated inputs for pressure, depth, temperature, and flow sensors to allow protection, control, and monitoring integration in a range of pumping applications
	175G0132 MCD 600 Profinet MCD 600 Profinet supports network communication via easy-to-install communication expansion cards. Each communication card includes a remote LCP 601 connector port.
968 **** 9 <u>6</u> 8 * * *	175G0187 ☑ Remote Control Panel LCP601 The VLT [®] Soft Starter MCD 600 soft starters can be used with a remote LCP mounted up to 3 m (9.8 ft) away from the soft starter. This kit contains a LCP601 + 3 meter cable. Can be connected to existing communication card
Image coming soon	175G0030 IZ Modbus TCP Option NIC52 version GF
lmage coming soon	175G0031 🛛 Ethernet IP option NIC52 version GF
Image coming	175G0032 ⊠ ProfiNet option, NIC52 version GF

For more information, please use this link to visit the product page on Danfoss Product Store 🗈



Spare Parts

175G0140 🖻

Motor Control Kit for big T5 starter Motor Control Kit for Frame size S2,S3 Mains Voltage T5 (200-525V). Boards sent as spare parts are not loaded with firmware. After replacing Control Card, load firmware into the soft starter.



175G0154 🖻

Fan Replacement Kit for large starters Models MCD6-0144B ~ MCD6-1250B require a fan



175G0137 🕑

Control Card for 230V ctl. Frame S2 Boards sent as spare parts are not loaded with firmware. After replacing the motor control board and/or user interface board,load firmware into the soft starter.



175G0157 🕑

Sparepart Bypass Contactor Kit 171-244A Each kit contains 1 internal bypass contactor. MCD600 soft starters requires 3 internal bypass contactors for a full replacement



175G0185 🕑

Replacement SCR Kit for 0243B Starter Each phase arm kit contains 1 SCR. MCD600 soft starters requires 3 phase ark kits for a full replacement

175G0135 🛛

Kit Enclosure Opening Tools MCD 600 Opening Tools MCD 600 in case of service. Tool consist of two parts to be used at top an bottom to release locks

Services



130R1131 🛛

DrivePro ExWarr Work Shop PG04 30 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



Services

130R1134 ☑ DrivePro ExWarr Work Shop PG04 48 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1135 ☑ DrivePro ExWarr Work Shop PG04 54 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1137 ☑ DrivePro ExWarr Work Shop PG04 66 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1138 ☐ DrivePro ExWarr Work Shop PG04 72 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1136 DrivePro ExWarr Work Shop PG04 60 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1130 ☐ DrivePro ExWarr Work Shop PG04 24 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 🗈

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



Services

 130R1132 ☑ DrivePro ExWarr Work Shop PG04 36 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1133 DrivePro ExWarr Work Shop PG04 42 months DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
 130R1034 ☑ DrivePro ExWarr Onsite PG04 48 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1031 ☑ DrivePro ExWarr Onsite PG04 30 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
 130R1032 ☑ DrivePro ExWarr Onsite PG04 36 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
 130R1035 ☑ DrivePro ExWarr Onsite PG04 54 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 🗈



 130R1033 ☑ DrivePro ExWarr Onsite PG04 42 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1030 ☑ DrivePro ExWarr Onsite PG04 24 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
 130R1038 ☑ DrivePro ExWarr Onsite PG04 72 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
130R1036 ☑ DrivePro ExWarr Onsite PG04 60 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.
 130R1037 ☑ DrivePro ExWarr Onsite PG04 66 months DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store 🗈



Services



136G7352 🕑

MCD60244BT5S2X00CV2

MCD60244BT552X00CV2 VLT® Soft Starter MCD 600 With Int. Bypass Contactor 244 A, Three phase 200-525 V AC Frame size 2, IP00 Control Voltage: 110~120 VAC or 220~240 VAC Other options according to Model code

Model code: MCD60244BT5S2X00CV2

VLT® Soft Starter MCD 600 is a total motor starting solution. Current transformers measure motor current and provide feedback for controlled motor ramp profiles. Adaptive Acceleration Control (AAC) automatically employs the best starting and stopping profile for the application. Emergency mode and Pump clean function are standard features. The optional remote control panel adds more functionality, such as the Start/Stop buttons, and quick jump buttons to menu options. VLT® Soft Starter MCD 600 is available in three enclosure sizes: S1, S2 and S3 S1: IP20 with built-in bypass contactor (20-129 A) S2: IP00 either with built-in bypass or non-bypass (144 – 579 A). S3: IP00 with built-in bypass, non-bypass or external bypass (590-1250 A) To achieve protection rating IP20 on connections, order the Finger Guard Kit as an accessory.

For more information, please use this link to visit the product page on Danfoss Product Store 🗷