



### 134X9377 @

### 70-AC1L00092W03A120BM25-00057196

VACON0020-1L-0009-2+EMC2+QPES

Frequency Converter
VACON0020-1L-0009-2+EMC2+QPESMI03-0009-2+IP20+EMC2
(0020) Vacon 020
1 Phase AC Input, 208–240 Vac
9 Amp, IP20/UL Open Type, EMC 2 Class
(+DBNO) No Brake, 50 Hz, MI03
Other options according to Model code

Model code: VACON0020-1L-0009-2+EMC2+QPES

VACON® 20 comes with compactness and programming functionality that makes it one of the most easily adaptable drives available for OEM applications.

The VACON® 20 has a built-in PLC functionality according to IEC 61131-1 which brings cost savings to the user.

For the OEM or machine builder it is easy to change the software logic of the drive to adapt to their own control needs. The VACON® 20 supports a wide variety of fieldbus connections, which enable effective machine integration, eliminating the need for external fieldbus gateways and parallel I/O connections.

With the optional copying module, parameter configurations can be copied into the VACON® 20 during the installation phase with no need for mains power - saving both time and effort.

### **PRODUCT DETAILS**

Gross weight		1 kg
Net weight		0.99 kg
Volume		6.281
EAN		5710108155438
Vacon 0010/20		
Product View (Switch)	GLBL	Global (Standard)
Product Group	VACON	(VACON) Vacon
Product Range	0020	(0020) Vacon 020
Segment	NONE	(NONE) Vacon 10/20
Customized	+BM25	(+BM25) Vacon0020 product
Regional	-R00	International
Input	-1L	1 Phase AC Input
Voltage	-2	208–240 Vac
Current	-0009	9 Amp
Current Description		9.6AMP
API Selection	+SM20	API for Vacon0020
E Slot Option Board	+SE00	No Option
Mounting	-DM	Drive Module
Enclosure	+IP20	IP20/UL Open Type
EMC Level	+EMC2	EMC 2 Class
Enclosure Accessory A	+QPES	(+QPES) PE Plate Kit
Enclosure Accessory B	+Q000	(+Q000) No Additional Option



## **PRODUCT DETAILS**

Documentation Language	+DLUK	(+DLUK) English
Documentation level	+DQCK	(+DQCK) Quick Guide
Label Language	+LLUK	(+LLUK) English
SW package	+F0107	(+F0107)VACON 20 SW package
Application	+A0000	(+A0000)No Special Application
Brake	+DBNO	(+DBNO) No Brake
Display Units	+LSSI	(+LSSI)Metric Units of Measure
Frequency Setting	+LS50	50 Hz
Parameter Set	+L0000	(+L0000) No Parameter Set
Shipping Package	+GSCB	Cardboard Box as Shipping pack
UL Approval	+GAUL	(+GAUL) UL Approval
CE Aproval	+GACE	(+GACE) CE Approval
C-tick Approval	+GACT	(+GACT) C-Tick Approval
KC Approval	+GAKC	(+GAKC) KC Approval
Standard Warranty	+WT01	(+WT01) Warranty 12/18 Months
Frame Size	MI03	MI03
Typecode Part 1		70-AC1L00092W03A120BM25
Typecode Part 2		-00057196
Modelcode01		VACON0020-1L-0009-2
Modelcode03		+EMC2+QPES
Product Catalog	GLBL	Global (Standard)
Salestext		MI03-0009-2+IP20+EMC2
Calculated Net Weight [kg]		1.3
Calculated Gross Weight [kg]		1.68
Motor Power High Overload [kW]		2.2
Dimensions WxHxD [mm]		100 X 255 X 109
Continuous Current (NO) [A]		2.4
Plant from Orderline		B601
Vendor	ERR01	Cannot Determine Vendor
Recommended Factory	ERR01	Cannot Determine Vendor
Help Counter		1
PREFIX AS PART OF STOCKCODE	70-	PREFIX FOR VXS020
VXS020 FRAME TYPE	A	Frame type A
Material Gross Weight		1
Material Net Weight		0.99
check if complete		OK
-		OK .
ECCN US		3A999.a

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store 🗵

## Accessories



181B0325 ≥

OPT-E3-V:PROFIBUS DP

OPT-E3-V

### For more information, please use this link to visit the product page on Danfoss Product Store 🗅



essories			
	181B0586 ☑ OPT-E7-V:DeviceNet OPT-E7-V		
<b>\( \)</b>	181B0244 ☑ USB/RS485 cable CAB-USB/RS485		
lmage coming soon	181B0269 ☑ ENC-M101-Type 1 kit ENC-IN01-MI1		
lmage coming soon	181B0526		
Image coming soon	181B0271 <sup>L2</sup> ENC-M103-Type 2 kit ENC-IN01-MI3		
lmage coming soon	181B0466 ☑ MI02 IP21 kit ENC-IP21-MI2		
lmage coming soon	181B0491 © Vacon20 MI1~3 Option board mounting kit ENC-SLOT-MC03-13		
lmage coming soon	181B0527 <sup>12</sup> ENC-M104-Type 1 kit ENC-IN01-MI4		
lmage coming soon	181B0528		
	181B0583 <sup>™</sup>		

# For more information, please use this link to visit the product page on Danfoss Product Store

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

MI4~5 Option board mounting kit

ENC-SLOT-MC03-45



Accessories				
Image coming soon	181B0789 ☑ MI03 IP21 kit ENC-IP21-MI3			
Image coming soon	181B0894 IZ  Flange mounting kit  ENC-QFLG-MI4			
lmage coming soon	181B0895 ☑ Flange mounting kit ENC-QFLG-MI5			
lmage coming soon	181B1759 ☑ MI05 PE-Plate kit 10 PCS ENC-QPES-MI5-10			
lmage coming soon	181B1230 ☑ MI01 IP21 kit ENC-IP21-MI1			
lmage coming soon	181B1732 ☑ MI01 PE-Plate kit 10 PCS ENC-QPES-MI1-10			
lmage coming soon	181B1758 ☑ MI04 PE-Plate kit 10 PCS ENC-QPES-MI4-10			
lmage coming soon	181B1733 ☑ MI02 PE-Plate kit 10 PCS ENC-QPES-MI2-10			
lmage coming soon	181B1757 ☑ MI03 PE-Plate kit 10 PCS ENC-QPES-MI3-10			
lmage coming soon	181B0073 ☑ 2M RJ45 cable CAB-RJ45P-2M			

# For more information, please use this link to visit the product page on Danfoss Product Store



#### **Accessories**



### 181B0404 12

HMI door mounting kit with 3M cable VACON-PAN-HMDR-TMX-MC03-3M

Image coming 181B0673 🗷

VACON-PAN-HMTX-MC06-CP VACON-PAN-HMTX-MC06-CP

Image coming 141F4273 🗷

VACON10 PB Demo suit case VACON-DEM-0010-1L-2-CASE

Image coming soon 141F4264 12

Vacon0020 Demo case VACON VACON-DEM-0020-1L-1-CASE



181B5377 🗷

**USB/RS485 cable** CAB-USB/RS485+BM1E

Image coming 181B5381 🗷

Vacon10 MI1~3 Option board mounting kit

ENC-SLOT-MC01-C+BM1E

Image coming soon 181B5382 🗷

MI1~3 Option board mounting kit

ENC-SLOT-MC03-13+BM1F

Image

181B5383 🗷

MI4~5 Option board mounting kit

ENC-SLOT-MC03-45+BM1F

Image

181B5388 🗷

OPT-E5-V+BM1E-X1:PROFIBUS DP with Sub-D9

OPT-E5-V+BM1E-X1

### For more information, please use this link to visit the product page on Danfoss Product Store 🗷



### **Spare Parts**

Image

### 181B0929 2

MC03 Control Unit for MI04-MI05

SPR-CMB03024



### 181B0244 <sup>12</sup>

USB/RS485 cable

CAB-USB/RS485

Image coming

### 181B2621 @

MI04 Main Cover IP21 Medium Grey

VACON-SPR-MEC03025

Image coming

### 181B0269 12

ENC-M101-Type 1 kit

ENC-IN01-MI1

#### Services



# 130R1102 🗷

### **DrivePro ExWarr Work Shop PG01 36 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss
Drivesworkshop, or shipment of a replacement product to the site.
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local
Danfoss Drives sales officefor extended warranty contract options



### 130R1104 <sup>12</sup>

### **DrivePro ExWarr Work Shop PG01 48 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales officefor extended warranty contract options.

# For more information, please use this link to visit the product page on Danfoss Product Store





#### 130R1103 🗷

### DrivePro ExWarr Work Shop PG01 42 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales officefor extended warranty contract options.



#### 130R1105 🗈

### **DrivePro ExWarr Work Shop PG01 54 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1107 🗷

#### **DrivePro ExWarr Work Shop PG01 66 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1106 <sup>™</sup>

### **DrivePro ExWarr Work Shop PG01 60 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1108 🗷

# DrivePro ExWarr Work Shop PG01 72 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1101 2

### DrivePro ExWarr Work Shop PG01 30 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss
Drivesworkshop, or shipment of a replacement product to the site.
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales officefor extended warranty contract options

### For more information, please use this link to visit the product page on Danfoss Product Store 🗅





#### 130R1004 @

#### **DrivePro ExWarr Onsite PG01 48 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new

drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1006 🗷

#### **DrivePro ExWarr Onsite PG01 60 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



#### 130R1002 P

### **DrivePro ExWarr Onsite PG01 36 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1001 🗷

### **DrivePro ExWarr Onsite PG01 30 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1000 🗷

# **DrivePro ExWarr Onsite PG01 24 Months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

### For more information, please use this link to visit the product page on Danfoss Product Store 🗅





#### 130R1008 @

#### **DrivePro ExWarr Onsite PG01 72 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



#### 130R1005 🗷

#### **DrivePro ExWarr Onsite PG01 54 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



#### 130R1003 P

#### **DrivePro ExWarr Onsite PG01 42 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1007 🗷

### **DrivePro ExWarr Onsite PG01 66 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1100 🗷

## DrivePro ExWarr Work Shop PG01 24 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss
Drivesworkshop, or shipment of a replacement product to the site.
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local
Danfoss Drives sales officefor extended warranty contract options

### For more information, please use this link to visit the product page on Danfoss Product Store





# 134X9377 🗷

### 70-AC1L00092W03A120BM25-00057196

VACON0020-1L-0009-2+EMC2+QPES

Frequency Converter
VACON0020-1L-0009-2+EMC2+QPESMI03-0009-2+IP20+EMC2
(0020) Vacon 020
1 Phase AC Input, 208–240 Vac
9 Amp, IP20/UL Open Type, EMC 2 Class
(+DBNO) No Brake, 50 Hz, MI03
Other options according to Model code

Model code: VACON0020-1L-0009-2+EMC2+QPES

VACON® 20 comes with compactness and programming functionality that makes it one of the most easily adaptable drives available for OEM applications.

The VACON® 20 has a built-in PLC functionality according to IEC 61131-1 which brings cost savings to the user.

For the OEM or machine builder it is easy to change the software logic of the drive to adapt to their own control needs. The VACON® 20 supports a wide variety of fieldbus connections, which enable effective machine integration, eliminating the need for external fieldbus gateways and parallel I/O connections.

With the optional copying module, parameter configurations can be copied into the VACON® 20 during the installation phase with no need for mains power - saving both time and effort.