



### 135N4419 @

# 70-AB3L00035W04B520BM2H-00058543

Frequency converter

VACON0100-3L-0003-5-FLOW+IP54+DPAP+FBIE

VACON 100 FLOW

380-500 Vac, 3 Amp,IP54/NEMA12

**Graphical Keypad MK01** 

C2 Commercial&Industry Environ

B Slot: F3,3 Relay board

C Slot: No board

D Slot: No board

E Slot: No board

Fieldbus: IndEth (ProfinetIO,EthernetIP)

Manual: English

1 and IP54/UL Type 12.

Frame 04

Other options according to Model code

Model code: VACON0100-3L-0003-5-FLOW+IP54+DPAP+FBIE

VACON® 100 AC drives are ideal for saving energy, optimizing process control and improving productivity. They are designed for multi-purpose use while remaining easy to install, easy to commission and easy to operate.

The variants VACON® INDUSTRIAL and VACON® FLOW are available in power range 0.55-800 kW, voltage range 208-690 V, and protection ratings IP00, IP21/UL Type

### **PRODUCT DETAILS**

Gross weight		6.3 kg
Net weight		6 kg
Volume		01
EAN		5710108206208
VACON 0100		
Product View (Switch)	GLBL	Global (Standard)
Segment	-FLOW	VACON 100 FLOW
Region Code	-R00	R00 International
Mains voltage	-5	380-500 Vac
Current rating	-0003	3 Amp
Installation options	-DM	DM Drive Module
Enclosure	+IP54	IP54/NEMA12
Control panel	+HMGR	Graphical Keypad MK01
EMC emission limit category	+EMC2	C2 Commercial&Industry Environ
Common mode filter (for DM)	+P000	No Option
DUT filter (for DM)	+P000	No Option
Brake chopper	+DBNO	No dynamic braking device
Real time clock option	+SRNO	No Battery for real time clock
Configurable power range	NONE	None
Power connections	+P000	No Power options (+P000)
Cable entry	+QGLM	Metric conduit plate
Additional Equipment B	+Q000	No option for Qxxx_B (+Q000)
Additonal Equipment C	+Q000	No additonal option for Qxxx_C
Shipping package	+GSCB	Cardboard Box as Shipping pack



# **PRODUCT DETAILS**

PRODUCT DETAILS		
Marine construction	+E000	no option
B-Slot Option Board	+SBF3	F3,3 Relay board
C- Slot Option Board	+SC00	No board
D-Slot Option Board	+SD00	No board
E-Slot Option Board	+SE00	No board
Internal FB selection	+FBIE	IndEth (ProfinetIO,EthernetIP)
Documentation level	+DPAP	Paper Manuals
Document language preference	+DLUK	English
Firmware Language Pack	+FL01	UK, DE, FI, SE, IT, FR lang
Application	+A0000	No Application
Parameter Set	+L0000	No application parameter set
Motor parameter default freq	+LS50	50 Hz def motor freq settings
Unit for measure for display	+LSSI	Metric Units of Measure
Labeling options	+LPC1	no additional labels
UL approval	+GAUL	UL Approval (+GAUL)
Marine approval	NONE	None
RCM Approval	+GACT	(+GACT) RCM Approval N16307
KC approval	+GAKC	KC Approval
Ukrainian approval	+GAUA	Ukrainian Approval
EAC Approval	+GAEA	EAC Approval
Auxilary power supply	+C000	no option (+C000)
DC power supply for aux device	+C000	no option (+C000)
AC socket for aux devices	+C000	no option (+C000)
Input Devices	NONE	none_
Common mode filter (for ED)	+P000	no option
DU/DT, Sine filter (for ED)	+P000	no option
Terminal Options	NONE	none_
Door Equipments	+C000	no option (+C000)
Cabinet heater	+C000	no option (+C000)
Cabinet light	+C000	no option (+C000)
Motor heater control	+C000	no option (+C000)
Emergency stop options	+C000	no option (+C000)
Insulation fault sensor	+C000	no option (+C000)
Cabling from top	+C000	no option (+C000)
Back channel cooling	+C000	no option (+C000)
Cabinet Plinth	+C000	no option (+C000)
Empty extension segment	NONE	None
Standardized cabinet solution	NONE	None
Engineered cabinet solution	NONE	None
Product Group	VACON	VACON
Product Series	0100	Vacon 100 series
Phase	-3L	3 Phase AC Input
Customized	+BM2H	Vacon 100-FLOW
Main Circuit	+M000	NONE
Firmware	+F0159	Vacon0100-Flow Software pack
Max output frequency	NONE	None
Terminal Box	+T000	NONE
Bypass Control Operation Mode	NONE	none_
Bypass Input Type	NONE	none_
Bypass power connection type	NONE	none_
CE approval	+GACE	CE Approval (+GACE)



# **PRODUCT DETAILS**

ATEX Approval	NONE	None
County Specific Approval	NONE	None
Warrenty time	+WT01	Warranty 12/18 months (+WT01)
Frame Size	MR04	Frame 04
Product Catalog	NO_VIEW	NO VIEW
Modelcode01		VACON0100-3L-0003-5
Modelcode02		-FLOW+IP54+DPAP+FBIE
Calculated Net Weight [kg]		6
Calculated Gross Weight [kg]		7
Motor Power Low Overload [kW]	1	1.1
Dimensions WxHxD [mm] net		128 X 328 X 190
Dimensions WxHxD [mm] Gross		175 X 384 X 232
Dimensions WxHxD [mm]		128X328X190
Continuous Current (NO) [A]		3.4
Motor Power HP Low Overload		1,5
Typecode Part 1		70-AB3L00035W04B520BM2H
Typecode Part 2		-00058543
Stockcode part 1		70-AB3L00035W04B520BM2H
Stockcode part 2		-00058543
check if complete		ОК
Vendor	ERR01	Cannot Determine Vendor
Recommended Factory	ERR01	Cannot Determine Vendor
Help Counter		20
Help Counter		2
Calculated Net Weight		6
Material Gross Weight		6.3
Material Net Weight		6
Salestext		MR04-0003-5+IP54+EMC2
Sub family identification	NONE	Normal customer ordered
ECCN US		3A999.a

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store 🖸

# Accessories



181B0586 2

OPT-E7-V:DeviceNet

OPT-E7-V

Image coming **181B0761** ☑ OPT-EC-V:EtherCAT

OPT-EC-V

### For more information, please use this link to visit the product page on Danfoss Product Store 🗅



### Accessories



# 181B3287 🗷

**OPT-EA-V:Advanced 2-port ethernet** 

OPT-EA-V



# 181B1472 🗷

OPT-B2-V+DLES:1RO(NO/NC),1RO(NO),therm

OPT-B2-V+DLES



### 181B1473 🗷

OPT-B4-V+DLES:AI,2AO(mA,isol),+24V/EXT

OPT-B4-V+DLES



# 181B1481 🗷

OPT-B1-V+DNOT:6 programmableDI/DO

OPT-B1-V+DNOT



# 181B1738 🗷

OPT-B4-V+DLFR:AI,2AO(mA,isoI),+24V/EXT

OPT-B4-V+DLFR



### 181B2134 12

OPT-B2-V+DLDE:1RO(NO/NC), 1RO(NO), therm

OPT-B2-V+DLDE



# 181B2151 🗷

OPT-B2-V+DNOT:1RO(NO/NC),1RO(NO),therm

OPT-B2-V+DNOT



# 181B2152 🗷

OPT-B4-V+DNOT:AI,2AO(mA,isol),+24V/EXT

OPT-B4-V+DNOT



### 181B0302 🗷

OPT-B2-V:1RO(NO/NC), 1RO(NO), therm

OPT-B2-V



# 181B0301 🗷

OPT-B1-V:6 programmableDI/DO

OPT-B1-V

### For more information, please use this link to visit the product page on Danfoss Product Store 🗷



Accessories	
	181B0303
	181B0304 ☑ OPT-B5-V:3RO(NO) OPT-B5-V
	181B0307 ☑ OPT-B9-V:1RO(NO),5pcs of 41-240VAC OPT-B9-V
	181B0623 ☑ OPT-B5-V+DNOT:3RO(NO) OPT-B5-V+DNOT
	181B0794 ☑ OPT-B1-V+DLES:6 programmableDI/DO OPT-B1-V+DLES
	181B0795 ☑ OPT-B1-V+DLDE:6 programmableDI/DO OPT-B1-V+DLDE
	181B0796 ☑ OPT-B4-V+DLDE:AI,2AO(mA,isol),+24V/EXT OPT-B4-V+DLDE
	181B0797 © OPT-B5-V+DLES:3RO(NO) OPT-B5-V+DLES
	181B0798 ☑  OPT-B5-V+DLDE:3RO(NO)  OPT-B5-V+DLDE
	181B0311



Accessories	
	181B0310 ₪
	OPT-BF-V:
	OPT-BF-V
	181B0450 <sup>12</sup>
	OPT-BJ-V:
	OPT-BJ-V
Image	OPT-E2-V:RS485 (Modbus/N2)
coming soon	OPT-E2-V
	OPT-C4-V+DNOT:LonWorks
	OPT-C4-V+DNOT
	OF 1-C4-V+DINOT
	141F4277 ₪
Image coming	AS-interface Fieldbus Option, OPT-BK-V
soon	OPT-BK-V
	OPT-BJ-V+DLES:
	OPT-BJ-V+DLES
-	
	OPT-BJ-V+DLFI:
	OPT-BJ-V+DLFI
	181B0800 ₪
	OPT-BJ-V+DLDE:
	OPT-BJ-V+DLDE
	181B0316 🗷
	OPT-C4-V:LonWorks
	OPT-C4-V
	181B3273 ☑
Image coming	OPT-F5-V:
soon	OPT-F5-V
-	



Accessories	
lmage coming soon	181B4135 ☑ OPT-E8-V:RS485 with Sub-D9 OPT-E8-V
lmage coming soon	181B2164 ☑ OPT-E9-V+DNOT:2-port ethernet OPT-E9-V+DNOT
	181B1488 © OPT-E5-V+DNOT:PROFIBUS DP with Sub-D9 OPT-E5-V+DNOT
	181B1487 ☑ OPT-E3-V+DNOT:PROFIBUS DP OPT-E3-V+DNOT
	181B0492 ☑ OPT-E9-V:2-port ethernet OPT-E9-V
W.	181B0330
VIII TO THE PARTY OF THE PARTY	181B0329 ☑ OPT-F3-V: OPT-F3-V
	181B0327 ☑ OPT-E6-V:CANopen OPT-E6-V
	181B0326 ☑ OPT-E5-V:PROFIBUS DP with Sub-D9 OPT-E5-V
lmage coming soon	181B3003 ☑  VACON100 FLOW Application manual (10pcs)  DOC-APP100FLOW-10+DLUK



#### **Accessories**



# 181B0074 12

MR4 IP54 -kit

VACON-ENC-IP54-MR04

Image coming soon

### 141F4210 🗷

VACON-DEM-0100-1L-2-CASE democase

VACON-DEM-0100-1L-2-CASE

Image

### 181B5386 12

OPT-B9-V+DNOT:1RO(NO),5pcs of 41-240VAC

OPT-B9-V+DNOT

# **Spare Parts**



### 181B1401 12

Discharging resistor assembly 48k 1 mm

SPR-ELE15323



# 181B1100 🗷

Terminal connector kit Vacon100

SPR-ELE02023



# 181B1091 🗷

**Control flat cable MR04** 

SPR-ELE01782



000000000000

# 181B1158 🗷

**EMC jumper 10pcs** 

SPR-ELE08056



# 181B1157 🗷

**MR Ground Fault Transformer Current Sens** 

SPR-ELE08037



# 181B1049 ₺

Internal fan

SPR-MEC00978

### For more information, please use this link to visit the product page on Danfoss Product Store 🗷





# 181B1173 🗷

"MR04 Accessories kit, inch"

SPR-MEC02003



# 181B1171 🗷

"MR04 Accessories kit, metric"

SPR-MEC01797



### 181B1208 12

MR04 Grounding plate + connector cover

SPR-MEC08052



### 181B1205 @

"MR04 Gland plate kit IP54, inch"

SPR-MEC08049



# 181B1202 🗷

"MR04 Gland plate kit IP54, metric"

SPR-MEC08046



### 181B1199 🗷

"MR04 Gland plate kit IP21, inch"

SPR-MEC08041



# 181B1196 🗷

"MR04 Gland plate kit IP21, metric"

SPR-MEC08038



# 181B2354 🗷

Fuse switch OS63030P

SPR-ELE13938



# 181B0606 12

IGBT kit Gen2 MR04

SPR-ELE07877



# 181B0641 🗷

**Control board MC04** 

SPR-CMB06634

### For more information, please use this link to visit the product page on Danfoss Product Store 🗷





# 181B0916 12

Diode thyristor module SKKH 162/18E

SPR-ELE14690



# 181B0764 <sup>12</sup>

Main fan MR08 48VDC

SPR-MEC01861



### 181B0383 🗷

Main fan MR04

SPR-MEC00973



### 181B0378 @

Control unit V100 (MC04 w/o I/O board)

SPR-CMB06633



# 181B2994 <sup>12</sup>

DC-capacitor 75 uF 800V MR04

SPR-ELE27401



### 181B2995 12

DC-capacitor 150uF 800V MR04

SPR-ELE27402



# 181B1114 @

Main Cover MR04 IP21 Dark Grey, NCS 7010

VACON-SPR-MEC01960



# 181B1115 🗷

Main Cover MR04 IP54 Dark Grey, NCS 7010

VACON-SPR-MEC01961



### 181B1392 🗷

MR04 MainCoverIP21Dark Grey,NCS7010-R90B

VACON-SPR-MEC01960-HVAC



# 181B1918 🗷

Main Cover IP54 MR04 Dark Grey

VACON-SPR-MEC01961-HVAC

### For more information, please use this link to visit the product page on Danfoss Product Store 🗷





#### 181B3729 🗷

### Measurement board Vacon 200/500/600/690V

SPR-CMB15267+AMPV0062-6+MODX2V001+DBNO-R02+LS60+LSUS

Image coming

# 181B4121 🗷

### Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV0920-5+MODX2V001+DBIN-R00+LS50+LSSI



### 181B4122 🗷

### Power Board 34A 690V MR6

SPR-CMB14772-FLOW+AMPV0027-6+MODX1V001+DBIN-R02+LS60+LSUS



### 181B4123 @

### Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV0920-5+MODX2V001+DBNO-R00+LS50+LSSI



# 181B4098 12

#### Measurement board 500/690V MR10

SPR-CMB21899+AMPV0590-5+MODX2V001+DBNO-R00+LS60+LSSI



### 181B4101 <sup>12</sup>

# Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV1180-5+MODX2V001+DBNO-R00+LS60+LSSI



# 181B4103 🗷

### Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV1180-5+MODX2V001+DBIN-R00+LS50+LSSI



# 181B4307 🗷

# Power Board 34A 690V MR6

SPR-CMB14772-HVAC+AMPV0018-6+MODX1V001+DBIN-R00+LS50+LSSI



### 181B3429 12

# Power Board 38-61A 500V for MR06 Gen2

SPR-CMB04711-FLOW+AMPV0046-5+MODX1V001+DBNO-R00+LS50+LSSI



# 181B4729 🗷

# Measurement board MR09B MR10, programmed

SPR-CMB21899+AMPV0520-5+MODX2V001+DBNO-R00+LS50+LSSI

### For more information, please use this link to visit the product page on Danfoss Product Store 🗷





### 181B4770 🗷

### Measurement board Vacon 200/500/600/690V

SPR-CMB15267-FLOW+AMPV0144-7+MODX1V001+DBNO-R00+LS50+LSSI



# 181B4866 12

### Measurement board V100, pre-programmed

SPR-CMB29585+AMPVXXXX-7-X1-B



### 181B4865 12

# Measurement board V100, pre-programmed

SPR-CMB29585+AMPVXXXX-5-X2-B



### 181B4864 @

# Measurement board V100, pre-programmed

SPR-CMB29585+AMPVXXXX-5-X1-B



# 181B4893 🗷

### Measurement board Vacon 200/500/600/690V

SPR-CMB15267-FLOW+AMPV0041-6+MODX2V001+DBIN-R00+LS50+LSSI



### 181B5064 12

# Control cover semi-matt for MR09

VACON-SPR-MEC02014



# 181B5303 🗷

# Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV0730-5+MODX1V001+DBNO-R00+LS50+LSSI



# 181B5417 🗷

# Miniature circuit breaker 2A 1P NAM

SPR-ELE25089



### 181B5418 12

# Miniature circuit breaker 6A 1P NAM

SPR-ELE25087



# 181B5425 🗷

Modular socket 15A 125VAC 1P NAM

SPR-ELE25093

### For more information, please use this link to visit the product page on Danfoss Product Store 🗷



Image coming

# 181B5428 12

Measurement board 240/500V MR7-9, prog

SPR-CMB01790-HVAC+AMPV0261-5+MODX1V001+DBNO-R00+LS50+LSSI



# 181B5438 🗷

Accessories bag with ext. box, 2-cabling

SPR-MEC41716



### 181B5445 12

Measurement board 240/500V MR7-9, prog

SPR-CMB01790+AMPV0205-5+MODX1V001+DBNO-R00+LS50+LSSI



# 181B5470 @

Cable gland plate IP54 for MR07, metric

SPR-MEC44149



# 181B5489 🗷

Plate heat exchanger, type:M3-FG-70PL

SPR-SOL44167



### 181B5490 12

Regulating valve actuator + 24VDC-module

SPR-SOL44168



# 181B5756 ☑

Filter mat 270x270mm (incl. 6 pcs)

SPR-MEC43925



# 181B5755 🗷

Filter mat 85x85mm (incl. 6 pcs)

SPR-MEC43915



Image coming

### 181B5775 🗷

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV1040-5+MODX2V001+DBNO-R00+LS50+LSSI



# 181B5786 🗷

 ${\bf Measurement\ boards\ MR11\ MR12, programmed}$ 

SPR-CMB33055+AMPV0820-7+MODX1V001+DBNO-R00+LS50+LSSI

### For more information, please use this link to visit the product page on Danfoss Product Store 🗷



Image coming 181B5788 🗷

**Regulating 3-way valve DN32** 

SPR-SOL44682

Image

181B5792 🗷

Measurement boards MR11 MR12, programmed

SPR-CMB33055+AMPV0650-5+MODX1V001+DBNO-R00+LS50+LSSI



181B5815 🗷

Main fan assembly MR9

SPR-ELE44150



181B5816 @

Main fan with power assembly MR9

SPR-ELE44935



181B5828 🗷

Charging Switch INU-FI9-FI10-V2

65-ELE43838-1194X2



181B5831 🗷

IGBT and driver board assy 690V MR09b

65-ELE38906-117UHW



181B5830 ☑

Brake IGBT and driver assy 690V MR09b

65-ELE38905-117UHV



181B5845 🗷

Measurement board Vacon 200/500/600/690V

SPR-CMB15267+AMPV0144-7+MODX1V001+DBNO-R00+LS50+LSSI



181B0275 🗷

**DC-power supply** 

STL-EST09693



181B0861 🗷

Software service kit for Vacon100

STL-EST10606

### For more information, please use this link to visit the product page on Danfoss Product Store 🗅



Spare Parts
-------------

lmage coming soon	181B5864 ☑  Powerboard 16-31A 500V for MR5 Gen3  SPR-CMB33714-FLOW+AMPV0031-5+MODX2V001+DBNO-R00+LS50+LSSI
lmage coming soon	181B5865 ☑  Powerboard 16-31A 500V for MR5 Gen3  SPR-CMB33714+AMPV0031-5+MODX2V001+DBIN-R00+LS50+LSSI
lmage coming soon	181B5872 ☑  Measurement boards MR11 MR12, programmed  SPR-CMB33055+AMPV0820-5+MODX2V001+DBNO-R00+LS50+LSSI
lmage coming soon	181B5880 ©  Measurement board MR09B MR10, programmed  SPR-CMB21899+AMPV0416-7+MODX1V001+DBNO-R00+LS50+LSSI
lmage coming soon	181B5897   Measurement board 240/500V MR7-9, prog SPR-CMB01790-FLOW+AMPV0072-5+MODX1V001+DBNO-R00+LS50+LSSI
lmage coming soon	181B5902 ☑  Measurement board Vacon 200/500/600/690V  SPR-CMB15267-FLOW+AMPV0052-7+MODX2V001+DBNO-R00+LS50+LSSI
lmage coming soon	181B5903 ☑  Measurement board 240/500V MR7-9, prog  SPR-CMB01790+AMPV0170-2+MODX1V001+DBNO-R00+LS60+LSSI
lmage coming soon	181B5908
lmage coming soon	181B5909 © Shipping box inc. dampers size 5 (4 pcs) SPR-MEC46234
lmage coming soon	181B5910 ☑ Shipping box inc. dampers size 6 (4 pcs) SPR-MEC46235



Spare Parts	
lmage coming soon	181B5911 © Shipping box inc. dampers size 7 (4 pcs) SPR-MEC46236
lmage coming soon	181B5912 12 Shipping box inc. dampers size 8 (4 pcs) SPR-MEC46237
lmage coming soon	181B5948
Image coming soon	181B5950 <sup>12</sup> Thermal paste Wacker P12, 90ML STL-MST46417
Image coming soon	181B5951 <sup>12</sup> Thermal paste Dowsil TC-6000HP, 1kg STL-MST46857
lmage coming soon	181B6056 ☑ Fuse 800A 690VAC aR Size 2 SPR-ELE45855
Image coming soon	181B6057
Image coming soon	181B6058 <sup>12</sup> Fuse 1100A 690VAC aR Size 3 SPR-ELE45857
lmage coming soon	181B6059 <sup>12</sup> Fuse 1250A 690VAC aR Size 3 SPR-ELE45858
lmage coming soon	181B6053



Image

181B6054 @

Fuse 400A 690VAC aR Size 1

SPR-ELE45829

181B6055 @

Fuse 630A 690VAC aR Size 2

SPR-ELE45854

181B6064 @

coming

DC cable kit 500V for MR7

SPR-ELE47175



Power Board 34A 690V MR6

SPR-CMB14772+AMPV0034-7+MODX1V001+DBIN-R00+LS50+LSSI

181B6160 @

Powerboard 500V MR5 Gen3, pre-prog, TEST

SPR-CMB47781+AMPVXXXX-5+MODX1V001+DBIN-R00+LS50+LSSI

### Services



# 130R1120 🗷

# DrivePro ExWarr Work Shop PG03 24 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1122 🖸

# DrivePro ExWarr Work Shop PG03 36 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

### For more information, please use this link to visit the product page on Danfoss Product Store 🗷





#### 130R1123 🗷

### DrivePro ExWarr Work Shop PG03 42 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



#### 130R1126 2

### DrivePro ExWarr Work Shop PG03 60 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



#### 130R1125 🖸

#### DrivePro ExWarr Work Shop PG03 54 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



# 130R1124 <sup>12</sup>

# **DrivePro ExWarr Work Shop PG03 48 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



# 130R1127 🗷

# DrivePro ExWarr Work Shop PG03 66 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1128 2

# DrivePro ExWarr Work Shop PG03 72 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

### For more information, please use this link to visit the product page on Danfoss Product Store





#### 130R1024 PA

#### DrivePro ExWarr Onsite PG03 48 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



#### 130R1025 🗷

#### DrivePro ExWarr Onsite PG03 54 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



#### 130R1020 P

#### **DrivePro ExWarr Onsite PG03 24 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



# 130R1022 <sup>™</sup>

### **DrivePro ExWarr Onsite PG03 36 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



# 130R1021 🗷

# DrivePro ExWarr Onsite PG03 30 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



### 130R1027 @

# DrivePro ExWarr Onsite PG03 66 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

### For more information, please use this link to visit the product page on Danfoss Product Store





#### 130R1026 🗷

#### DrivePro ExWarr Onsite PG03 60 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



#### 130R1028 🗷

#### **DrivePro ExWarr Onsite PG03 72 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



#### 130R1023 P

#### DrivePro ExWarr Onsite PG03 42 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



# 130R1303 🗷

# DrivePro Start-Up unit pre-order small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

### For more information, please use this link to visit the product page on Danfoss Product Store 🗅





#### 130R1313 🗷

### DrivePro Start-Up 1 day on-demand small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.



#### 130R1312 🗷

# DrivePro Start-Up 1 Day Pre-order small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.





### 130R1304 @

### DrivePro Start-Up unit on-demand small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- $\bullet \ Maximum \ energy \ savings \ to \ the \ Customer.$
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

Image coming soon

#### 130R1380 🗷

# DrivePro Start-Up 1/2 day pre-order small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.



coming

# 130R1381 🗷

### DrivePro Start-up 1/2 day on-demand small

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- · Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.