



135N2644 ¹²

VA100X-3L-0005-4-X+BM1X-000000556

VACON0100-3L-0005-4-X+FBIE+HMGR

VACON0100-3L-0005-4-X+FBIE+HMGR

VACON® 100X

5,6 AMP, (-4) 380 - 480 Vac

(+DBIN) Brake Chopper, (+LS50) 50 Hz

C2 Commercial&Industry Environ

IndEth (ProfinetIO,EthernetIP), Graphical Keypad

D Slot: No board E Slot: No board

Other options according to Model code

Model code: VACON0100-3L-0005-4-X+FBIE+HMGR

VACON® 100 X

Achieve maximum performance in extreme environments. This AC drive withstands high-pressure water, high vibration levels, heat and dirt. A Gore® vent membrane, IP66 / Type 4X outdoor enclosure, and an operating temperature range from -40°C to +60°C give you full freedom for unlimited outdoor installations. With power range extending up to 37 kW, this drive makes the benefits of decentralized solutions available for a wide range of applications.

PRODUCT DETAILS

| Gross weight | | 9.8 kg |
|------------------------|--------|--------------------------------|
| Net weight | | 8.8 kg |
| Volume | | 0.311 hl |
| EAN | | 5710108868611 |
| Vacon 100 X | | |
| Product View (Switch) | GLBL | Global (Standard) |
| Product Group | VACON | VACON |
| Product Series | 0100 | VACON 100 |
| Input type | -3L | -3L |
| Current | -0005 | 5 |
| Current Description | | 5,6 AMP |
| Mains Voltage | -4 | (-4) 380 – 480 Vac |
| Segment | -X | Vacon 100X |
| Regional | -R00 | International |
| Customized | +BM1X | Vacon0100 product |
| Terminal Box | +TBOX | (+TBOX) Basic Terminal Box |
| Brake | +DBIN | (+DBIN) Brake Chopper |
| Frequency setting | +LS50 | (+LS50) 50 Hz |
| Display Units | +LSSI | Metric Units of Measure |
| Documentation level | +DQCK | (+DQCK) Quick Guide |
| Firmware Language Pack | +FL01 | UK, DE, FI, SE, IT, FR lang |
| SW Package | +F0072 | (+F0072) GP System Software |
| EMC level | +EMC2 | C2 Commercial&Industry Environ |
| Marine Approval | +E000 | (+E000) No Marine Approval |
| Application | +A0000 | (+A0000)No Special Application |
| Internal FB selection | +FBIE | IndEth (ProfinetIO,EthernetIP) |



PRODUCT DETAILS

| Keypad | +HMGR | Graphical Keypad |
|------------------------------|---------|--------------------------------|
| Real Time Clock Battery | +SRNO | No Battery for real time clock |
| D Slot Option Board | +SD00 | No board |
| E Slot Option Board | +SE00 | No board |
| Additional Equipment A | +Q000 | (+Q000) No add. Equipment A |
| Additional Equipment B | +Q000 | (+Q000) No add. Equipment B |
| Additional Equipment C | +Q000 | No add. Equipment C |
| Shipping Package | +GSCB | Standard Packaging Material |
| UL Approval | +GAUL | (+GAUL) UL Approval |
| CE Aproval | +GACE | (+GACE) CE Approval |
| C-tick Approval | +GACT | (+GACT) C-Tick Approval |
| KC Approval | +GAKC | (+GAKC) KC Approval |
| Frame Size | MM4 | MM 04 |
| Product Catalog | NO_VIEW | NO VIEW |
| Modelcode01 | | VACON0100-3L-0005-4-X |
| Modelcode04 | | +FBIE+HMGR |
| Typecode Part 1 | | VA100X-3L-0005-4-X+BM1X |
| Typecode Part 2 | | -000000556 |
| Calculated Net Weight [kg] | | 8.8 |
| Calculated Gross Weight [kg] | | 9.55 |
| Dimensions WxHxD [mm] | | 191X316X197 |
| Plant from Orderline | | C503 |
| Vendor | ERR01 | Cannot Determine Vendor |
| Recommended Factory | ERR01 | Cannot Determine Vendor |
| ECCN US | | 3A999.a |
| ECCN EU | | X.A.I.003 |
| Help Counter | | 1 |
| Material Gross Weight | | 9.8 |
| Material Net Weight | | 8.8 |

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store 🗷

Accessories

Image coming soon

Image coming soon 181B0483 🗷

Image CAB-HMI2M-MC05-X Soon CAB-HMI2M-MC05-X

141F4232 🗷

Vacon100 MM4 Auxiliary Frame Heater

ENC-QAFH-MM04

141F4185 🗷

Vacon100 MM4 Main Switch Option

POW-QDSS-MM04

For more information, please use this link to visit the product page on Danfoss Product Store 🗅



Accessories

Image coming soon 141F4231 🗷

Vacon100 MM4 Motor Mount Flange

ENC-QMMF-MM04



141F4176 12

VACON-PAN-HMGR-MC05-X

VACON-PAN-HMGR-MC05-X

Image coming soon 141F4222 🗷

MC05, MC06 Keypad Wallmounting Kit

PAN-HMWM-MK02

Image coming soon 141F4207 🗷

CAB-HMI5M-MC05-X CAB-HMI5M-MC05-X

Spare Parts

Image coming 141F3478 🗷

V100X MC05 Control Unit assembly +F0072

60S01097

Image coming 141F3486 12

V100X control 10 x accessory bag

60S01107

Image coming 141F3489 🛚

V100X MM06 accessory bag (10pcs)

60S01110

141F3494 🗷

image coming soon 10x Packaging carton box 214x151x100 spa

60S01115

141F3497 🗷

coming

V100X MM04 packaging EPP

60S01118

For more information, please use this link to visit the product page on Danfoss Product Store 🗷



| Spare Parts | |
|-------------------------|---|
| Image coming soon | 141F3498 ☑ V100X MM05 packaging EPP 60S01119 |
| lmage coming soon | 141F3500 ☑ 10x Packaging carton box with option inl 60S01121 |
| lmage coming soon | 141F3499 位 V100X MM06 10 x packaging 60S01120 |
| Image coming soon | 141F3529 년 Internal fan ass. V100X MM04 and MM05 60S01158 |
| Image coming soon | 141F3530 ២ Internal Fan ass. V100X MM06 60S01159 |
| Image coming soon | 141F3531 🗹 External Fan assembly V100X 60S01160 |
| lmage coming soon | 141F3532 |
| lmage coming soon | 141F3540 ☑ 2 x gasket for cable entry plate, V100X 60S01178 |
| lmage coming soon | 141F3542 2 2 x gasket for cable entry plate, V100X 60S01180 |
| lmage coming soon | 141F3570 ☑ 2 x US cable entry plate assembly, V100X 60S01210 |

For more information, please use this link to visit the product page on Danfoss Product Store



| Spare Parts | |
|-------------------------|--|
| lmage coming soon | 141F3571 2 2 x US cable entry plate assembly, V100X 60S01211 |
| lmage coming soon | 141F3572 ☑ 2 x US cable entry plate assembly 60S01212 |
| lmage coming soon | 141F6348 ☑ IGBT module 23NAB12T4V1 60S01272 |
| lmage coming soon | 141F6350 ☑ V100X MM4 200V 6.6A power board spare pa 60S01274 |
| Image coming soon | 141F6349 년 V100X MM4 power head insulation foil spa 60S01273 |
| lmage coming soon | 141F6352 ☑ V100X MM4 380-500V 5.6A power board 60S01276 |
| lmage coming soon | 141F6353 ¹² Power board 12A 380-500V V100X 60S01277 |
| lmage coming soon | 141F6354 ¹² V100X MM4 DC capacitor 150uF 800V 60S01278 |
| lmage coming soon | 141F6356 전 V100X MM4 wiring between MB to CU 60S01282 |
| Image coming soon | 141F6357 ☑ IGBT module 35NAB12T4V1 60S01287 |

For more information, please use this link to visit the product page on Danfoss Product Store 🗅



| Spare Parts | |
|-------------------------|---|
| lmage coming soon | 141F6358 ☑ IGBT module 37NAB12T4V1 60S01288 |
| Image coming soon | 141F6360 ☑ V100X MM5 200V 31A power board spare par 60S01290 |
| Image coming soon | 141F6359 ☑ V100X MM5 power head insulation foil spa 60S01289 |
| Image coming soon | 141F6362 ☑ V100X MM5 DC capacitor 250uF 800V 60S01292 |
| Image coming soon | 141F6363 년 V100X MM5 DC capacitor 350uF 800V 60S01293 |
| Image coming soon | 141F6364 ☑ V100X MM5 MM6 wiring between MB to CU 60S01298 |
| Image coming soon | 141F6365 ☑ V100X MM6 User Interface Board with gap 60S01300 |
| Image coming soon | 141F6366 년 V100X MM6 User Interface to Measurement 60S01301 |
| Image coming soon | 141F6367 ☑ V100X MM6 power head insulation foil spa 60S01302 |
| Image coming soon | 141F6368 ☑ IGBT module 38AC12T4V1 60S01303 |

For more information, please use this link to visit the product page on Danfoss Product Store 🗅



| Spare Parts | |
|-------------------------|---|
| Image coming soon | 141F6370 ☑ Rectifier module 28AHB16V3 60S01305 |
| lmage coming soon | 141F6371 ☑ V100X MM6 200V 60A power board spare par 60S01306 |
| lmage coming soon | 141F6372 ☑ Power board 72A 380V-500V for MM6 60S01307 |
| lmage coming soon | 141F6378 ☑ V100X Thermistor and STO Board spare par 60S01322 |
| lmage coming soon | 141F6374 년 V100X MM6 DC bus power connector with RE 60S01309 |
| lmage coming soon | 141F6373 ☑ V100X MM6 DC capacitor 700uF 800V 60S01308 |
| lmage coming soon | 141F6375 © V100X MM6 busbar assembly spare part 60S01310 |
| lmage coming soon | 141F6376 년 V100X MM6 power cables U,V,W, DC+, DC - 60S01311 |
| lmage coming soon | 141F6377 ☑ Control Board for V100X 60S01321 |
| lmage coming soon | 141F6379 © V100X MM6 input cables and ferrite spare 60S01327 |

For more information, please use this link to visit the product page on Danfoss Product Store 🗅



Spare Parts

Image coming 141F6896 12

V100X MM06 power terminal block top spar

60S01357

141F6898 🗷

V100X MM04-MM06 Product A-Cover and Lid

60S01358

nage ming 181B1378 🗷

Control Unit Assembly +A1181 for V100X

60S01352

Services



130R1121 ¹²

DrivePro ExWarr Work Shop PG03 30 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1120 🗷

DrivePro ExWarr Work Shop PG03 24 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1122 🗷

DrivePro ExWarr Work Shop PG03 36 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store



Services



130R1123 🗷

DrivePro ExWarr Work Shop PG03 42 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1126 2

DrivePro ExWarr Work Shop PG03 60 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1125 🖸

DrivePro ExWarr Work Shop PG03 54 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1124 ¹²

DrivePro ExWarr Work Shop PG03 48 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1127 🗷

DrivePro ExWarr Work Shop PG03 66 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1128 @

DrivePro ExWarr Work Shop PG03 72 months

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store



Services



130R1024 @

DrivePro ExWarr Onsite PG03 48 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1025 🗷

DrivePro ExWarr Onsite PG03 54 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1020 P

DrivePro ExWarr Onsite PG03 24 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1022 [™]

DrivePro ExWarr Onsite PG03 36 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1021 🗷

DrivePro ExWarr Onsite PG03 30 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1027 2

DrivePro ExWarr Onsite PG03 66 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store



Services



130R1026 PA

DrivePro ExWarr Onsite PG03 60 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1028 🗷

DrivePro ExWarr Onsite PG03 72 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1023 P

DrivePro ExWarr Onsite PG03 42 months

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



135N2649 ¹²

VA100X-3L-0012-4-X+BM1X-000000591

VACON0100-3L-0012-4-X+FBIE+HMGR

VACON0100-3L-0012-4-X+FBIE+HMGR

VACON® 100X

12 AMP, (-4) 380 - 480 Vac

(+DBIN) Brake Chopper, (+LS50) 50 Hz

C2 Commercial&Industry Environ

 $Ind Eth \ (Profinet IO, Ethernet IP), \ Graphical \ Keypad$

D Slot: No board

Other options according to Model code

Model code: VACON0100-3L-0012-4-X+FBIE+HMGR

VACON® 100 X

Achieve maximum performance in extreme environments. This AC drive withstands high-pressure water, high vibration levels, heat and dirt. A Gore® vent membrane, IP66 / Type 4X outdoor enclosure, and an operating temperature range from -40°C to +60°C give you full freedom for unlimited outdoor installations.

With power range extending up to 37 kW, this drive makes the benefits of decentralized solutions available for a wide range of applications.

For more information, please use this link to visit the product page on Danfoss Product Store