

**135N2446****70-AB3L00095W04B221BM26-00059160**

Frequency converter  
 VACON0100-3L-0009-5+DPAP+FBIE  
 VACON 100 Industrial  
 380-500 Vac, 9 Amp, IP21/NEMA1  
 Graphical Keypad MK01  
 C2 Commercial&Industry Environ  
 B Slot: F3,3 Relay board  
 C Slot: No board  
 D Slot: No board  
 E Slot: No board  
 Fieldbus: IndEth (ProfinetIO, EthernetIP)  
 Manual: English  
 Frame 04  
 Other options according to Model code

**Model code:** VACON0100-3L-0009-5+DPAP+FBIE

VACON® 100 AC drives are ideal for saving energy, optimizing process control and improving productivity. They are designed for multi-purpose use while remaining easy to install, easy to commission and easy to operate.

The variants VACON® INDUSTRIAL and VACON® FLOW are available in power range 0.55-800 kW, voltage range 208-690 V, and protection ratings IP00, IP21/UL Type 1 and IP54/UL Type 12.

**PRODUCT DETAILS**

<b>Gross weight</b>		7 kg
<b>Net weight</b>		6 kg
<b>Volume</b>		0 l
<b>EAN</b>		5710108186173
<b>VACON 0100</b>		
<b>Product View (Switch)</b>	GLBL	Global (Standard)
<b>Segment</b>	NONE	VACON 100 Industrial
<b>Region Code</b>	-R00	R00 International
<b>Mains voltage</b>	-5	380-500 Vac
<b>Current rating</b>	-0009	9 Amp
<b>Installation options</b>	-DM	DM Drive Module
<b>Enclosure</b>	+IP21	IP21/NEMA1
<b>Control panel</b>	+HMGR	Graphical Keypad MK01
<b>EMC emission limit category</b>	+EMC2	C2 Commercial&Industry Environ
<b>Common mode filter (for DM)</b>	+P000	No Option
<b>DUT filter (for DM)</b>	+P000	No Option
<b>Brake chopper</b>	+DBIN	Integrated Brake Chopper
<b>Real time clock option</b>	+SRNO	No Battery for real time clock
<b>Configurable power range</b>	NONE	None
<b>Power connections</b>	+P000	No Power options (+P000)
<b>Cable entry</b>	+QGLM	Metric conduit plate
<b>Additional Equipment B</b>	+Q000	No option for Qxxx_B (+Q000)
<b>Additional Equipment C</b>	+Q000	No additional option for Qxxx_C
<b>Shipping package</b>	+GSCB	Cardboard Box as Shipping pack

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## PRODUCT DETAILS

<b>Marine construction</b>	+E000	no option
<b>B-Slot Option Board</b>	+SBF3	F3,3 Relay board
<b>C- Slot Option Board</b>	+SC00	No board
<b>D-Slot Option Board</b>	+SD00	No board
<b>E-Slot Option Board</b>	+SE00	No board
<b>Internal FB selection</b>	+FBIE	IndEth (ProfinetIO,EthernetIP)
<b>Documentation level</b>	+DPAP	Paper Manuals
<b>Document language preference</b>	+DLUK	English
<b>Firmware Language Pack</b>	+FL01	UK, DE, FI, SE, IT, FR lang
<b>Application</b>	+A0000	No Application
<b>Parameter Set</b>	+L0000	No application parameter set
<b>Motor parameter default freq</b>	+LS50	50 Hz def motor freq settings
<b>Unit for measure for display</b>	+LSSI	Metric Units of Measure
<b>Labeling options</b>	+LPC1	no additional labels
<b>UL approval</b>	+GAUL	UL Approval (+GAUL)
<b>Marine approval</b>	NONE	None
<b>RCM Approval</b>	+GACT	(+GACT) RCM Approval N16307
<b>KC approval</b>	+GAKC	KC Approval
<b>Ukrainian approval</b>	+GAUA	Ukrainian Approval
<b>EAC Approval</b>	+GAEA	EAC Approval
<b>Auxiliary power supply</b>	+C000	no option (+C000)
<b>DC power supply for aux device</b>	+C000	no option (+C000)
<b>AC socket for aux devices</b>	+C000	no option (+C000)
<b>Input Devices</b>	NONE	none_
<b>Common mode filter (for ED)</b>	+P000	no option
<b>DU/DT, Sine filter (for ED)</b>	+P000	no option
<b>Terminal Options</b>	NONE	none_
<b>Door Equipments</b>	+C000	no option (+C000)
<b>Cabinet heater</b>	+C000	no option (+C000)
<b>Cabinet light</b>	+C000	no option (+C000)
<b>Motor heater control</b>	+C000	no option (+C000)
<b>Emergency stop options</b>	+C000	no option (+C000)
<b>Insulation fault sensor</b>	+C000	no option (+C000)
<b>Cabling from top</b>	+C000	no option (+C000)
<b>Back channel cooling</b>	+C000	no option (+C000)
<b>Cabinet Plinth</b>	+C000	no option (+C000)
<b>Empty extension segment</b>	NONE	None
<b>Standardized cabinet solution</b>	NONE	None
<b>Engineered cabinet solution</b>	NONE	None
<b>Product Group</b>	VACON	VACON
<b>Product Series</b>	0100	Vacon 100 series
<b>Phase</b>	-3L	3 Phase AC Input
<b>Customized</b>	+BM26	Vacon 100
<b>Main Circuit</b>	+M000	NONE
<b>Firmware</b>	+F0072	Vacon0100 Software package
<b>Max output frequency</b>	NONE	None
<b>Terminal Box</b>	+T000	NONE
<b>Bypass Control Operation Mode</b>	NONE	none_
<b>Bypass Input Type</b>	NONE	none_
<b>Bypass power connection type</b>	NONE	none_
<b>CE approval</b>	+GACE	CE Approval (+GACE)

## Product Detail | 70-AB3L00095W04B221BM26-00059160

## PRODUCT DETAILS

<b>ATEX Approval</b>	NONE	None
<b>County Specific Approval</b>	NONE	None
<b>Warrenty time</b>	+WT01	Warranty 12/18 months (+WT01)
<b>Frame Size</b>	MR04	Frame 04
<b>Product Catalog</b>	NO_VIEW	NO VIEW
<b>Modelcode01</b>		VACON0100-3L-0009-5
<b>Modelcode02</b>		+DPAP+FBIE
<b>Calculated Net Weight [kg]</b>		6
<b>Calculated Gross Weight [kg]</b>		7
<b>Motor Power Low Overload [kW]</b>		4
<b>Motor Power High Overload [kW]</b>		3
<b>Dimensions WxHxD [mm] net</b>		128 X 328 X 190
<b>Dimensions WxHxD [mm] Gross</b>		175 X 384 X 232
<b>Dimensions WxHxD [mm]</b>		128X328X190
<b>Continuous Current (NO) [A]</b>		9.6
<b>Continuous Current (HO) [A]</b>		8
<b>Motor Power HP Low Overload</b>		5
<b>Motor Power HP High Overload</b>		4
<b>Typecode Part 1</b>		70-AB3L00095W04B221BM26
<b>Typecode Part 2</b>		-00059160
<b>Stockcode part 1</b>		70-AB3L00095W04B221BM26
<b>Stockcode part 2</b>		-00059160
<b>check if complete</b>		OK
<b>Vendor</b>	ERR01	Cannot Determine Vendor
<b>Recommended Factory</b>	ERR01	Cannot Determine Vendor
<b>Help Counter</b>		10
<b>Help Counter</b>		2
<b>Calculated Net Weight</b>		6
<b>Material Gross Weight</b>		7
<b>Material Net Weight</b>		6
<b>Salestext</b>		MR04-0009-5+IP21+EMC2
<b>Sub family identification</b>	NONE	Normal customer ordered
<b>ECCN US</b>		3A999.a
<b>ECCN EU</b>		X.A.I.003

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

## Accessories



**181B0586** [🔗](#)

**OPT-E7-V:DeviceNet**

OPT-E7-V

Image  
coming  
soon

**181B0761** [🔗](#)

**OPT-EC-V:EtherCAT**

OPT-EC-V

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Accessories



**181B3287** [🔗](#)  
**OPT-EA-V:Advanced 2-port ethernet**  
OPT-EA-V



**181B1472** [🔗](#)  
**OPT-B2-V+DLES:1RO(NO/NC),1RO(NO),therm**  
OPT-B2-V+DLES



**181B1473** [🔗](#)  
**OPT-B4-V+DLES:AI,2AO(mA,isol),+24V/EXT**  
OPT-B4-V+DLES



**181B1481** [🔗](#)  
**OPT-B1-V+DNOT:6 programmableDI/DO**  
OPT-B1-V+DNOT



**181B1738** [🔗](#)  
**OPT-B4-V+DLFR:AI,2AO(mA,isol),+24V/EXT**  
OPT-B4-V+DLFR



**181B2134** [🔗](#)  
**OPT-B2-V+DLDE:1RO(NO/NC),1RO(NO),therm**  
OPT-B2-V+DLDE



**181B2151** [🔗](#)  
**OPT-B2-V+DNOT:1RO(NO/NC),1RO(NO),therm**  
OPT-B2-V+DNOT



**181B2152** [🔗](#)  
**OPT-B4-V+DNOT:AI,2AO(mA,isol),+24V/EXT**  
OPT-B4-V+DNOT



**181B0302** [🔗](#)  
**OPT-B2-V:1RO(NO/NC),1RO(NO),therm**  
OPT-B2-V



**181B0301** [🔗](#)  
**OPT-B1-V:6 programmableDI/DO**  
OPT-B1-V

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Accessories



**181B0303** [🔗](#)  
**OPT-B4-V:AI,2AO(mA,isol),+24V/EXT**  
OPT-B4-V



**181B0304** [🔗](#)  
**OPT-B5-V:3RO(NO)**  
OPT-B5-V



**181B0307** [🔗](#)  
**OPT-B9-V:1RO(NO),5pcs of 41-240VAC**  
OPT-B9-V



**181B0623** [🔗](#)  
**OPT-B5-V+DNOT:3RO(NO)**  
OPT-B5-V+DNOT



**181B0794** [🔗](#)  
**OPT-B1-V+DLES:6 programmableDI/DO**  
OPT-B1-V+DLES



**181B0795** [🔗](#)  
**OPT-B1-V+DLDE:6 programmableDI/DO**  
OPT-B1-V+DLDE



**181B0796** [🔗](#)  
**OPT-B4-V+DLDE:AI,2AO(mA,isol),+24V/EXT**  
OPT-B4-V+DLDE



**181B0797** [🔗](#)  
**OPT-B5-V+DLES:3RO(NO)**  
OPT-B5-V+DLES



**181B0798** [🔗](#)  
**OPT-B5-V+DLDE:3RO(NO)**  
OPT-B5-V+DLDE



**181B0311** [🔗](#)  
**OPT-BH-V:3 temp meas channels**  
OPT-BH-V

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories



**181B0310** [🔗](#)

**OPT-BF-V:**  
OPT-BF-V



**181B0450** [🔗](#)

**OPT-BJ-V:**  
OPT-BJ-V

Image  
coming  
soon

**181B4132** [🔗](#)

**OPT-E2-V:RS485 (Modbus/N2)**  
OPT-E2-V



**181B1485** [🔗](#)

**OPT-C4-V+DNOT:LonWorks**  
OPT-C4-V+DNOT

Image  
coming  
soon

**141F4277** [🔗](#)

**AS-interface Fieldbus Option, OPT-BK-V**  
OPT-BK-V



**181B1482** [🔗](#)

**OPT-BJ-V+DLES:**  
OPT-BJ-V+DLES



**181B2155** [🔗](#)

**OPT-BJ-V+DLFI:**  
OPT-BJ-V+DLFI



**181B0800** [🔗](#)

**OPT-BJ-V+DLDE:**  
OPT-BJ-V+DLDE



**181B0316** [🔗](#)

**OPT-C4-V:LonWorks**  
OPT-C4-V

Image  
coming  
soon

**181B3273** [🔗](#)

**OPT-F5-V:**  
OPT-F5-V

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Accessories

Image  
coming  
soon**181B4135** [🔗](#)**OPT-E8-V:RS485 with Sub-D9**

OPT-E8-V

Image  
coming  
soon**181B2164** [🔗](#)**OPT-E9-V+DNOT:2-port ethernet**

OPT-E9-V+DNOT

**181B1488** [🔗](#)**OPT-E5-V+DNOT:PROFIBUS DP with Sub-D9**

OPT-E5-V+DNOT

**181B1487** [🔗](#)**OPT-E3-V+DNOT:PROFIBUS DP**

OPT-E3-V+DNOT

**181B0492** [🔗](#)**OPT-E9-V:2-port ethernet**

OPT-E9-V

**181B0330** [🔗](#)**OPT-F4-V:**

OPT-F4-V

**181B0329** [🔗](#)**OPT-F3-V:**

OPT-F3-V

**181B0327** [🔗](#)**OPT-E6-V:CANopen**

OPT-E6-V

**181B0326** [🔗](#)**OPT-E5-V:PROFIBUS DP with Sub-D9**

OPT-E5-V

**181B0074** [🔗](#)**MR4 IP54 -kit**

VACON-ENC-IP54-MR04

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories

Image coming soon

**141F4210** [🔗](#)  
**VACON-DEM-0100-1L-2-CASE democase**  
 VACON-DEM-0100-1L-2-CASE

Image coming soon

**181B5386** [🔗](#)  
**OPT-B9-V+DNOT:1RO(NO),5pcs of 41-240VAC**  
 OPT-B9-V+DNOT

Spare Parts



**181B1401** [🔗](#)  
**Discharging resistor assembly 48k 1 mm**  
 SPR-ELE15323



**181B1100** [🔗](#)  
**Terminal connector kit Vacon100**  
 SPR-ELE02023



**181B1091** [🔗](#)  
**Control flat cable MR04**  
 SPR-ELE01782



**181B1158** [🔗](#)  
**EMC jumper 10pcs**  
 SPR-ELE08056



**181B1157** [🔗](#)  
**MR Ground Fault Transformer Current Sens**  
 SPR-ELE08037



**181B1049** [🔗](#)  
**Internal fan**  
 SPR-MEC00978



**181B1173** [🔗](#)  
**"MR04 Accessories kit, inch"**  
 SPR-MEC02003

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



## Spare Parts



**181B1171** [🔗](#)  
"MR04 Accessories kit, metric"  
SPR-MEC01797



**181B1208** [🔗](#)  
MR04 Grounding plate + connector cover  
SPR-MEC08052



**181B1205** [🔗](#)  
"MR04 Gland plate kit IP54, inch"  
SPR-MEC08049



**181B1202** [🔗](#)  
"MR04 Gland plate kit IP54, metric"  
SPR-MEC08046

Image  
coming  
soon

**181B1199** [🔗](#)  
"MR04 Gland plate kit IP21, inch"  
SPR-MEC08041



**181B1196** [🔗](#)  
"MR04 Gland plate kit IP21, metric"  
SPR-MEC08038



**181B2354** [🔗](#)  
Fuse switch OS63030P  
SPR-ELE13938



**181B0606** [🔗](#)  
IGBT kit Gen2 MR04  
SPR-ELE07877



**181B0641** [🔗](#)  
Control board MC04  
SPR-CMB06634



**181B0916** [🔗](#)  
Diode thyristor module SKKH 162/18E  
SPR-ELE14690

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts



**181B0764** [🔗](#)  
**Main fan MR08 48VDC**  
SPR-MEC01861



**181B0383** [🔗](#)  
**Main fan MR04**  
SPR-MEC00973



**181B0378** [🔗](#)  
**Control unit V100 (MC04 w/o I/O board)**  
SPR-CMB06633



**181B2994** [🔗](#)  
**DC-capacitor 75 uF 800V MR04**  
SPR-ELE27401



**181B2995** [🔗](#)  
**DC-capacitor 150uF 800V MR04**  
SPR-ELE27402



**181B1114** [🔗](#)  
**Main Cover MR04 IP21 Dark Grey, NCS 7010**  
VACON-SPR-MEC01960



**181B1115** [🔗](#)  
**Main Cover MR04 IP54 Dark Grey, NCS 7010**  
VACON-SPR-MEC01961



**181B1392** [🔗](#)  
**MR04 Main Cover IP21 Dark Grey, NCS 7010-R90B**  
VACON-SPR-MEC01960-HVAC



**181B1918** [🔗](#)  
**Main Cover IP54 MR04 Dark Grey**  
VACON-SPR-MEC01961-HVAC



**181B3729** [🔗](#)  
**Measurement board Vacon 200/500/600/690V**  
SPR-CMB15267+AMPV0062-6+MODX2V001+DBNO-R02+LS60+LSUS

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Spare Parts

Image coming soon

**181B4121** [🔗](#)

**Measurement boards MR11 MR12, programmed**

SPR-CMB33055+AMPV0920-5+MODX2V001+DBIN-R00+LS50+LSSI



**181B4122** [🔗](#)

**Power Board 34A 690V MR6**

SPR-CMB14772-FLOW+AMPV0027-6+MODX1V001+DBIN-R02+LS60+LSUS

Image coming soon

**181B4123** [🔗](#)

**Measurement boards MR11 MR12, programmed**

SPR-CMB33055+AMPV0920-5+MODX2V001+DBNO-R00+LS50+LSSI



**181B4098** [🔗](#)

**Measurement board 500/690V MR10**

SPR-CMB21899+AMPV0590-5+MODX2V001+DBNO-R00+LS60+LSSI

Image coming soon

**181B4101** [🔗](#)

**Measurement boards MR11 MR12, programmed**

SPR-CMB33055+AMPV1180-5+MODX2V001+DBNO-R00+LS60+LSSI

Image coming soon

**181B4103** [🔗](#)

**Measurement boards MR11 MR12, programmed**

SPR-CMB33055+AMPV1180-5+MODX2V001+DBIN-R00+LS50+LSSI



**181B4307** [🔗](#)

**Power Board 34A 690V MR6**

SPR-CMB14772-HVAC+AMPV0018-6+MODX1V001+DBIN-R00+LS50+LSSI



**181B3429** [🔗](#)

**Power Board 38-61A 500V for MR06 Gen2**

SPR-CMB04711-FLOW+AMPV0046-5+MODX1V001+DBNO-R00+LS50+LSSI



**181B4729** [🔗](#)

**Measurement board MR09B MR10, programmed**

SPR-CMB21899+AMPV0520-5+MODX2V001+DBNO-R00+LS50+LSSI



**181B4770** [🔗](#)

**Measurement board Vacon 200/500/600/690V**

SPR-CMB15267-FLOW+AMPV0144-7+MODX1V001+DBNO-R00+LS50+LSSI

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

**181B4866** [🔗](#)**Measurement board V100, pre-programmed**

SPR-CMB29585+AMPVXXX-7-X1-B

**181B4865** [🔗](#)**Measurement board V100, pre-programmed**

SPR-CMB29585+AMPVXXX-5-X2-B

**181B4864** [🔗](#)**Measurement board V100, pre-programmed**

SPR-CMB29585+AMPVXXX-5-X1-B

**181B4893** [🔗](#)**Measurement board Vacon 200/500/600/690V**

SPR-CMB15267-FLOW+AMPV0041-6+MODX2V001+DBIN-R00+LS50+LSSI

Image  
coming  
soon**181B5064** [🔗](#)**Control cover semi-matt for MR09**

VACON-SPR-MEC02014

Image  
coming  
soon**181B5303** [🔗](#)**Measurement boards MR11 MR12, programmed**

SPR-CMB33055+AMPV0730-5+MODX1V001+DBNO-R00+LS50+LSSI

Image  
coming  
soon**181B5417** [🔗](#)**Miniature circuit breaker 2A 1P NAM**

SPR-ELE25089

Image  
coming  
soon**181B5418** [🔗](#)**Miniature circuit breaker 6A 1P NAM**

SPR-ELE25087

Image  
coming  
soon**181B5425** [🔗](#)**Modular socket 15A 125VAC 1P NAM**

SPR-ELE25093

Image  
coming  
soon**181B5428** [🔗](#)**Measurement board 240/500V MR7-9, prog**

SPR-CMB01790-HVAC+AMPV0261-5+MODX1V001+DBNO-R00+LS50+LSSI

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

**181B5438** [🔗](#)**Accessories bag with ext. box, 2-cabling**

SPR-MEC41716

Image  
coming  
soon**181B5445** [🔗](#)**Measurement board 240/500V MR7-9, prog**

SPR-CMB01790+AMPV0205-5+MODX1V001+DBNO-R00+LS50+LSSI

**181B5470** [🔗](#)**Cable gland plate IP54 for MR07, metric**

SPR-MEC44149

Image  
coming  
soon**181B5489** [🔗](#)**Plate heat exchanger, type:M3-FG-70PL**

SPR-SOL44167

Image  
coming  
soon**181B5490** [🔗](#)**Regulating valve actuator + 24VDC-module**

SPR-SOL44168



x6

**181B5756** [🔗](#)**Filter mat 270x270mm (incl. 6 pcs)**

SPR-MEC43925



x6

**181B5755** [🔗](#)**Filter mat 85x85mm (incl. 6 pcs)**

SPR-MEC43915

Image  
coming  
soon**181B5775** [🔗](#)**Measurement boards MR11 MR12, programmed**

SPR-CMB33055+AMPV1040-5+MODX2V001+DBNO-R00+LS50+LSSI

Image  
coming  
soon**181B5786** [🔗](#)**Measurement boards MR11 MR12, programmed**

SPR-CMB33055+AMPV0820-7+MODX1V001+DBNO-R00+LS50+LSSI

Image  
coming  
soon**181B5788** [🔗](#)**Regulating 3-way valve DN32**

SPR-SOL44682

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

Image  
coming  
soon**181B5792** **Measurement boards MR11 MR12, programmed**

SPR-CMB33055+AMPV0650-5+MODX1V001+DBNO-R00+LS50+LSSI

**181B5815** **Main fan assembly MR9**

SPR-ELE44150

**181B5816** **Main fan with power assembly MR9**

SPR-ELE44935

**181B5828** **Charging Switch INU-FI9-FI10-V2**

65-ELE43838-1194X2

**181B5831** **IGBT and driver board assy 690V MR09b**

65-ELE38906-117UHW

**181B5830** **Brake IGBT and driver assy 690V MR09b**

65-ELE38905-117UHV

**181B5845** **Measurement board Vacon 200/500/600/690V**

SPR-CMB15267+AMPV0144-7+MODX1V001+DBNO-R00+LS50+LSSI

**181B0275** **DC-power supply**

STL-EST09693

**181B0861** **Software service kit for Vacon100**

STL-EST10606

Image  
coming  
soon**181B5864** **Powerboard 16-31A 500V for MR5 Gen3**

SPR-CMB33714-FLOW+AMPV0031-5+MODX2V001+DBNO-R00+LS50+LSSI

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

Image  
coming  
soon**181B5865** [🔗](#)**Powerboard 16-31A 500V for MR5 Gen3**

SPR-CMB33714+AMPV0031-5+MODX2V001+DBIN-R00+LS50+LSSI

Image  
coming  
soon**181B5872** [🔗](#)**Measurement boards MR11 MR12, programmed**

SPR-CMB33055+AMPV0820-5+MODX2V001+DBNO-R00+LS50+LSSI

Image  
coming  
soon**181B5880** [🔗](#)**Measurement board MR09B MR10, programmed**

SPR-CMB21899+AMPV0416-7+MODX1V001+DBNO-R00+LS50+LSSI

Image  
coming  
soon**181B5897** [🔗](#)**Measurement board 240/500V MR7-9, prog**

SPR-CMB01790-FLOW+AMPV0072-5+MODX1V001+DBNO-R00+LS50+LSSI

Image  
coming  
soon**181B5902** [🔗](#)**Measurement board Vacon 200/500/600/690V**

SPR-CMB15267-FLOW+AMPV0052-7+MODX2V001+DBNO-R00+LS50+LSSI

Image  
coming  
soon**181B5903** [🔗](#)**Measurement board 240/500V MR7-9, prog**

SPR-CMB01790+AMPV0170-2+MODX1V001+DBNO-R00+LS60+LSSI

Image  
coming  
soon**181B5908** [🔗](#)**Shipping box inc. dampers size 4 (4 pcs)**

SPR-MEC46233

Image  
coming  
soon**181B5909** [🔗](#)**Shipping box inc. dampers size 5 (4 pcs)**

SPR-MEC46234

Image  
coming  
soon**181B5910** [🔗](#)**Shipping box inc. dampers size 6 (4 pcs)**

SPR-MEC46235

Image  
coming  
soon**181B5911** [🔗](#)**Shipping box inc. dampers size 7 (4 pcs)**

SPR-MEC46236

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

**Spare Parts**

---

Image  
coming  
soon**181B5912** [🔗](#)**Shipping box inc. dampers size 8 (4 pcs)**SPR-MEC46237

---

Image  
coming  
soon**181B5948** [🔗](#)**Measurement board 105-310A 240/500V MR7-**SPR-CMB01790+AMPV0105-5+MODX2V001+DBNO-R00+LS50+LSSI

---

Image  
coming  
soon**181B5950** [🔗](#)**Thermal paste Wacker P12, 90ML**STL-MST46417

---

Image  
coming  
soon**181B5951** [🔗](#)**Thermal paste Dowsil TC-6000HP, 1kg**STL-MST46857

---

Image  
coming  
soon**181B6056** [🔗](#)**Fuse 800A 690VAC aR Size 2**SPR-ELE45855

---

Image  
coming  
soon**181B6057** [🔗](#)**Fuse 1000A 690VAC aR Size 3**SPR-ELE45856

---

Image  
coming  
soon**181B6058** [🔗](#)**Fuse 1100A 690VAC aR Size 3**SPR-ELE45857

---

Image  
coming  
soon**181B6059** [🔗](#)**Fuse 1250A 690VAC aR Size 3**SPR-ELE45858

---

Image  
coming  
soon**181B6053** [🔗](#)**Fuse 250A 690VAC aR Size 1**SPR-ELE45828

---

Image  
coming  
soon**181B6054** [🔗](#)**Fuse 400A 690VAC aR Size 1**SPR-ELE45829

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



Spare Parts

Image coming soon

**181B6055** [🔗](#)  
**Fuse 630A 690VAC aR Size 2**  
 SPR-ELE45854

Image coming soon

**181B6064** [🔗](#)  
**DC cable kit 500V for MR7**  
 SPR-ELE47175



**181B6158** [🔗](#)  
**Power Board 34A 690V MR6**  
 SPR-CMB14772+AMPV0034-7+MODX1V001+DBIN-R00+LS50+LSSI



**181B6160** [🔗](#)  
**Powerboard 500V MR5 Gen3, pre-prog, TEST**  
 SPR-CMB47781+AMPVXXXX-5+MODX1V001+DBIN-R00+LS50+LSSI

Services



**130R1120** [🔗](#)  
**DrivePro ExWarr Work Shop PG03 24 months**  
 DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.  
 You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1122** [🔗](#)  
**DrivePro ExWarr Work Shop PG03 36 months**  
 DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.  
 You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1123** [🔗](#)  
**DrivePro ExWarr Work Shop PG03 42 months**  
 DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.  
 You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1126** [🔗](#)**DrivePro ExWarr Work Shop PG03 60 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1125** [🔗](#)**DrivePro ExWarr Work Shop PG03 54 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1124** [🔗](#)**DrivePro ExWarr Work Shop PG03 48 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1127** [🔗](#)**DrivePro ExWarr Work Shop PG03 66 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1128** [🔗](#)**DrivePro ExWarr Work Shop PG03 72 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1024** [🔗](#)**DrivePro ExWarr Onsite PG03 48 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1025** [🔗](#)**DrivePro ExWarr Onsite PG03 54 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1020** [🔗](#)**DrivePro ExWarr Onsite PG03 24 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1022** [🔗](#)**DrivePro ExWarr Onsite PG03 36 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1021** [🔗](#)**DrivePro ExWarr Onsite PG03 30 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1027** [🔗](#)**DrivePro ExWarr Onsite PG03 66 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1026** [🔗](#)**DrivePro ExWarr Onsite PG03 60 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1028** [🔗](#)**DrivePro ExWarr Onsite PG03 72 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1023** [🔗](#)**DrivePro ExWarr Onsite PG03 42 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1303** [🔗](#)**DrivePro Start-Up unit pre-order small**

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1313** [🔗](#)**DrivePro Start-Up 1 day on-demand small**

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

**130R1312** [🔗](#)**DrivePro Start-Up 1 Day Pre-order small**

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1304** [🔗](#)**DrivePro Start-Up unit on-demand small**

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

---

Image  
coming  
soon

**130R1380** [🔗](#)**DrivePro Start-Up ½ day pre-order small**

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

Image  
coming  
soon

**130R1381** **DrivePro Start-up ½ day on-demand small**

DrivePro® Start-up gives the Customer a full range of checks and adjustments during commissioning of the drive, ensuring their system is tuned for optimal performance right from day one.

The following benefits can be gained:

- Installation is checked to ensure it complies to Danfoss guide lines.
- The AC drive is fine-tuned specific to the application, ensuring optimal performance.
- Maximum energy savings to the Customer.
- Extend the AC drive's lifespan.
- Report detailing findings.

Before DrivePro® Start-up can be implemented, the AC drive must be installed and

ready for operation. The entire system must be fully operational under normal operation conditions. Installation of the drive is not included in this package. Commissioning needs to take place during the standard working hours.

General Terms and Conditions of Delivery and Warranty apply.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.