

**136F1027****VA100X-3L-0031-4-X+BM1X-00000501**

VACON0100-3L-0031-4-X+A1181+FBIE+HMGR

VACON0100-3L-0031-4-X+A1181+FBIE+HMGR

VACON® 100X

31 AMP, (-4) 380 – 480 Vac

(+DBIN) Brake Chopper, (+LS50) 50 Hz

C2 Commercial&amp;Industry Environ

IndEth (ProfinetIO,EthernetIP), Graphical Keypad

D Slot: No board

E Slot: No board

Other options according to Model code

**Model code:** VACON0100-3L-0031-4-X+A1181+FBIE+HMGR

VACON® 100 X

Achieve maximum performance in extreme environments. This AC drive withstands high-pressure water, high vibration levels, heat and dirt. A Gore® vent membrane, IP66 / Type 4X outdoor enclosure, and an operating temperature range from -40°C to +60°C give you full freedom for unlimited outdoor installations. With power range extending up to 37 kW, this drive makes the benefits of decentralized solutions available for a wide range of applications.

**PRODUCT DETAILS**

<b>Gross weight</b>		15.9 kg
<b>Net weight</b>		14.9 kg
<b>Volume</b>		0.378 hl
<b>EAN</b>		5715162273791
<b>Vacon 100 X</b>		
<b>Product View (Switch)</b>	GLBL	Global (Standard)
<b>Product Group</b>	VACON	VACON
<b>Product Series</b>	0100	VACON 100
<b>Input type</b>	-3L	-3L
<b>Current</b>	-0031	31
<b>Current Description</b>		31 AMP
<b>Mains Voltage</b>	-4	(-4) 380 – 480 Vac
<b>Segment</b>	-X	Vacon 100X
<b>Regional</b>	-R00	International
<b>Customized</b>	+BM1X	Vacon0100 product
<b>Terminal Box</b>	+TBOX	(+TBOX) Basic Terminal Box
<b>Brake</b>	+DBIN	(+DBIN) Brake Chopper
<b>Frequency setting</b>	+LS50	(+LS50) 50 Hz
<b>Display Units</b>	+LSSI	Metric Units of Measure
<b>Documentation level</b>	+DQCK	(+DQCK) Quick Guide
<b>Firmware Language Pack</b>	+FL01	UK, DE, FI, SE, IT, FR lang
<b>SW Package</b>	+F0072	(+F0072) GP System Software
<b>EMC level</b>	+EMC2	C2 Commercial&Industry Environ
<b>Marine Approval</b>	+E000	(+E000) No Marine Approval
<b>Application</b>	+A1181	(+A1181) Solar Application
<b>Internal FB selection</b>	+FBIE	IndEth (ProfinetIO,EthernetIP)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Product Detail | VA100X-3L-0031-4-X+BM1X-00000501

## PRODUCT DETAILS

Keypad	+HMGR	Graphical Keypad
Real Time Clock Battery	+SRNO	No Battery for real time clock
D Slot Option Board	+SD00	No board
E Slot Option Board	+SE00	No board
Additional Equipment A	+Q000	(+Q000) No add. Equipment A
Additional Equipment B	+Q000	(+Q000) No add. Equipment B
Additional Equipment C	+Q000	No add. Equipment C
Shipping Package	+GSCB	Standard Packaging Material
UL Approval	+GAUL	(+GAUL) UL Approval
CE Approval	+GACE	(+GACE) CE Approval
C-tick Approval	+GACT	(+GACT) C-Tick Approval
KC Approval	+GAKC	(+GAKC) KC Approval
Frame Size	MM5	MM 05
Product Catalog	NO_VIEW	NO VIEW
Modelcode01		VACON0100-3L-0031-4-X
Modelcode04		+A1181+FBIE+HMGR
Typecode Part 1		VA100X-3L-0031-4-X+BM1X
Typecode Part 2		-00000501
Calculated Net Weight [kg]		14.9
Calculated Gross Weight [kg]		15.65
Dimensions WxHxD [mm]		233X367X214
Vendor	ERR01	Cannot Determine Vendor
Recommended Factory	ERR01	Cannot Determine Vendor
ECCN US		3A999.a
ECCN EU		X.A.I.003
Help Counter		1
Material Gross Weight		15.9
Material Net Weight		14.9

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

## Accessories

Image  
coming  
soon**181B0483** [🔗](#)**CAB-HMI2M-MC05-X**

CAB-HMI2M-MC05-X

Image  
coming  
soon**181B0515** [🔗](#)**Vacon100 MM5 Motor Mount Flange**

ENC-QMMF-MM05

Image  
coming  
soon**141F4186** [🔗](#)**Vacon100 MM5 Main Switch Option**

POW-QDSS-MM05

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Accessories



**141F4176** [🔗](#)  
**VACON-PAN-HMGR-MC05-X**  
VACON-PAN-HMGR-MC05-X

Image  
coming  
soon

**141F4222** [🔗](#)  
**MC05, MC06 Keypad Wallmounting Kit**  
PAN-HMWM-MK02

## Spare Parts

Image  
coming  
soon

**141F3478** [🔗](#)  
**V100X MC05 Control Unit assembly +F0072**  
60S01097

Image  
coming  
soon

**141F3486** [🔗](#)  
**V100X control 10 x accessory bag**  
60S01107

Image  
coming  
soon

**141F3489** [🔗](#)  
**V100X MM06 accessory bag (10pcs)**  
60S01110

Image  
coming  
soon

**141F3494** [🔗](#)  
**10x Packaging carton box 214x151x100 spa**  
60S01115

Image  
coming  
soon

**141F3497** [🔗](#)  
**V100X MM04 packaging EPP**  
60S01118

Image  
coming  
soon

**141F3498** [🔗](#)  
**V100X MM05 packaging EPP**  
60S01119

Image  
coming  
soon

**141F3500** [🔗](#)  
**10x Packaging carton box with option inl**  
60S01121

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

**Spare Parts**

---

Image  
coming  
soon**141F3499** **V100X MM06 10 x packaging**60S01120

---

Image  
coming  
soon**141F3529** **Internal fan ass. V100X MM04 and MM05**60S01158

---

Image  
coming  
soon**141F3530** **Internal Fan ass. V100X MM06**60S01159

---

Image  
coming  
soon**141F3531** **External Fan assembly V100X**60S01160

---

Image  
coming  
soon**141F3532** **External Fan ass. V100X MM06**60S01161

---

Image  
coming  
soon**141F3540** **2 x gasket for cable entry plate, V100X**60S01178

---

Image  
coming  
soon**141F3542** **2 x gasket for cable entry plate, V100X**60S01180

---

Image  
coming  
soon**141F3570** **2 x US cable entry plate assembly, V100X**60S01210

---

Image  
coming  
soon**141F3571** **2 x US cable entry plate assembly, V100X**60S01211

---

Image  
coming  
soon**141F3572** **2 x US cable entry plate assembly**60S01212

---

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

Image  
coming  
soon**141F6348** **IGBT module 23NAB12T4V1**

60S01272

Image  
coming  
soon**141F6350** **V100X MM4 200V 6.6A power board spare pa**

60S01274

Image  
coming  
soon**141F6349** **V100X MM4 power head insulation foil spa**

60S01273

Image  
coming  
soon**141F6352** **V100X MM4 380-500V 5.6A power board**

60S01276

Image  
coming  
soon**141F6353** **Power board 12A 380-500V V100X**

60S01277

Image  
coming  
soon**141F6354** **V100X MM4 DC capacitor 150uF 800V**

60S01278

Image  
coming  
soon**141F6356** **V100X MM4 wiring between MB to CU**

60S01282

Image  
coming  
soon**141F6357** **IGBT module 35NAB12T4V1**

60S01287

Image  
coming  
soon**141F6358** **IGBT module 37NAB12T4V1**

60S01288

Image  
coming  
soon**141F6360** **V100X MM5 200V 31A power board spare par**

60S01290

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

Image  
coming  
soon**141F6359** **V100X MM5 power head insulation foil spa**

60S01289

Image  
coming  
soon**141F6362** **V100X MM5 DC capacitor 250uF 800V**

60S01292

Image  
coming  
soon**141F6363** **V100X MM5 DC capacitor 350uF 800V**

60S01293

Image  
coming  
soon**141F6364** **V100X MM5 MM6 wiring between MB to CU**

60S01298

Image  
coming  
soon**141F6365** **V100X MM6 User Interface Board with gap**

60S01300

Image  
coming  
soon**141F6366** **V100X MM6 User Interface to Measurement**

60S01301

Image  
coming  
soon**141F6367** **V100X MM6 power head insulation foil spa**

60S01302

Image  
coming  
soon**141F6368** **IGBT module 38AC12T4V1**

60S01303

Image  
coming  
soon**141F6370** **Rectifier module 28AHB16V3**

60S01305

Image  
coming  
soon**141F6371** **V100X MM6 200V 60A power board spare par**

60S01306

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

Image  
coming  
soon**141F6372** **Power board 72A 380V-500V for MM6**

60S01307

Image  
coming  
soon**141F6378** **V100X Thermistor and STO Board spare par**

60S01322

Image  
coming  
soon**141F6374** **V100X MM6 DC bus power connector with RE**

60S01309

Image  
coming  
soon**141F6373** **V100X MM6 DC capacitor 700uF 800V**

60S01308

Image  
coming  
soon**141F6375** **V100X MM6 busbar assembly spare part**

60S01310

Image  
coming  
soon**141F6376** **V100X MM6 power cables U,V,W, DC+, DC-**

60S01311

Image  
coming  
soon**141F6377** **Control Board for V100X**

60S01321

Image  
coming  
soon**141F6379** **V100X MM6 input cables and ferrite spare**

60S01327

Image  
coming  
soon**141F6896** **V100X MM06 power terminal block top spar**

60S01357

Image  
coming  
soon**141F6898** **V100X MM04-MM06 Product A-Cover and Lid**

60S01358

**For more information, please use this link to visit the product page on Danfoss Product Store** 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

## Spare Parts

Image  
coming  
soon

**181B1378** [🔗](#)

**Control Unit Assembly +A1181 for V100X**

60S01352

## Services



**130R1121** [🔗](#)

**DrivePro ExWarr Work Shop PG03 30 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1120** [🔗](#)

**DrivePro ExWarr Work Shop PG03 24 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1122** [🔗](#)

**DrivePro ExWarr Work Shop PG03 36 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



**130R1123** [🔗](#)

**DrivePro ExWarr Work Shop PG03 42 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



---

**Services**

---

**130R1126** [🔗](#)**DrivePro ExWarr Work Shop PG03 60 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1125** [🔗](#)**DrivePro ExWarr Work Shop PG03 54 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1124** [🔗](#)**DrivePro ExWarr Work Shop PG03 48 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1127** [🔗](#)**DrivePro ExWarr Work Shop PG03 66 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1128** [🔗](#)**DrivePro ExWarr Work Shop PG03 72 months**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1024** [🔗](#)**DrivePro ExWarr Onsite PG03 48 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**

---

**130R1025** [🔗](#)**DrivePro ExWarr Onsite PG03 54 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1020** [🔗](#)**DrivePro ExWarr Onsite PG03 24 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1022** [🔗](#)**DrivePro ExWarr Onsite PG03 36 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1021** [🔗](#)**DrivePro ExWarr Onsite PG03 30 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1027** [🔗](#)**DrivePro ExWarr Onsite PG03 66 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**130R1026** [🔗](#)**DrivePro ExWarr Onsite PG03 60 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

---

**Services**


---

**130R1028** [🔗](#)**DrivePro ExWarr Onsite PG03 72 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1023** [🔗](#)**DrivePro ExWarr Onsite PG03 42 months**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**135N2654** [🔗](#)**VA100X-3L-0031-4-X+BM1X-000000598**

VACON0100-3L-0031-4-X+FBIE+HMGR

VACON0100-3L-0031-4-X+FBIE+HMGR

VACON® 100X

31 AMP, (-4) 380 – 480 Vac

(+DBIN) Brake Chopper, (+LS50) 50 Hz

C2 Commercial&Industry Environ

IndEth (ProfinetIO,EthernetIP), Graphical Keypad

D Slot: No board

E Slot: No board

Other options according to Model code

**Model code:** VACON0100-3L-0031-4-X+FBIE+HMGR

VACON® 100 X

Achieve maximum performance in extreme environments. This AC drive withstands high-pressure water, high vibration levels, heat and dirt. A Gore® vent membrane, IP66 / Type 4X outdoor enclosure, and an operating temperature range from -40°C to +60°C give you full freedom for unlimited outdoor installations.

With power range extending up to 37 kW, this drive makes the benefits of decentralized solutions available for a wide range of applications.

---

**For more information, please use this link to visit the product page on Danfoss Product Store** [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.